







AV MOUNTS

AV FURNITURE

ACCESSORIES

## CUSTOMER SERVICE

#### **Expert Customer Service at Your Fingertips**

### Our attention to detail shows in both the quality of our products and the quality of our customer service.

- We work tirelessly to take the confusion out of buying the right AV mount, furniture and accessories for your TV and components
- Our customer service hotline is staffed Monday through Friday, 7 a.m. to 7 p.m. CST
- Hotline staff understand the full functionality of our products and can provide tips and techniques for successful installations
- Online MountFinder<sup>™</sup> tool matches specific TVs to the correct Sanus mounts and accessories — MountFinder<sup>™</sup> is available at www.sanus.com
- · We stand behind our products with an industry-leading warranty

### Our customer service team is experienced and passionate about the consumer electronics industry.

- Service team members receive continuing and extensive hands-on training with every Sanus product
- Service team members complete Certified Technology Specialists curriculum and testing from InfoComm International, a non-profit association serving the AV industry worldwide
- Customer service hotline team has direct access to product engineers to ensure accurate answers for all questions

Customer service hotline is just a call or click away. Dial 1-800-359-5520 and press "1" or email info@sanus.com.



### SANUS.COM

#### **Comprehensive Product Information at the Click of a Button**

The Sanus Systems website leads the industry in usability and state-of-the-art development. Offered in eight languages and multiple regions internationally, it's a one-stop shop for information, including comprehensive product details and the latest Sanus news and press releases.

#### Sanus.com brings you:

- MountFinder<sup>™</sup>
   Match any TV to the perfect mount with our comprehensive TV and product database
- HeightFinder™ Determine the proper placement of a Sanus flat-panel wall mount for optimal viewing
- Store locator Find Sanus dealers based on postal code
- New product information Stay up to date with our latest product introductions
- Detailed product specifications Get information on all Sanus products, including furniture, speaker stands, mounts and accessories

- Product Manuals
- Locate and download installation instructions for any Sanus product
- Support Find details on warranties, returns, exchanges and replacement parts
- Contact Information
- Find Sanus on your mobile device at m.sanus.com
   You can access in-depth product information and useful tools like
   MountFinder™, HeightFinder™ and Store Locator wirelessly

#### MountFinder™

MountFinder<sup>™</sup> is a comprehensive TV and product database that takes the guesswork out of finding the perfect wall or ceiling mount. Simply enter the brand or model number of your TV, and MountFinder<sup>™</sup> will display all compatible Sanus mounts.

If you are unsure of your model number, or if your particular television or monitor is not listed in our database, our advanced MountFinder<sup>™</sup> allows you to search for compatible Sanus products based on the physical specifications of your television or monitor.





# TABLE OF CONTENTS

### SIZE CHARTS

AV Foundations <sup>™</sup>	
Speaker Foundations™	7–8
VisionMount®	

#### **SANUS** FOUNDATIONS

### AV FOUNDATIONS"

Features and Benefits	18
Vertical AV Foundations <sup>™</sup>	19–20
Designer AV Foundations <sup>™</sup>	21–22
Component AV Foundations <sup>™</sup>	23–24
Woodbrook AV Foundations <sup>™</sup>	25–26
Java AV Foundations <sup>™</sup>	27–28
Natural AV Foundations <sup>™</sup>	29–30
Platinum AV Foundations <sup>™</sup>	31–32
Flat Panel AV Foundations <sup>™</sup>	33–34
Steel AV Foundations <sup>™</sup>	35–36
Euro AV Foundations <sup>™</sup>	37–38
Accurate AV Foundations™	39
Television Accessories	40



Sanus Elements<sup>™</sup>......11–14



### SPEAKER FOUNDATIONS"

Features and Benefits	41–42
Ultimate Speaker Foundations <sup>™</sup>	43–44
Steel Speaker Foundations <sup>™</sup>	45–46
Natural Speaker Foundations <sup>™</sup>	47–48
Euro Speaker Foundations <sup>™</sup>	49–50
Basic Foundations <sup>™</sup>	51–52
HTB Foundations <sup>™</sup>	53–54
Hover Foundations <sup>™</sup>	55–56



Platinum AV Foundations<sup>™</sup> model PFAV30-B1 shown with Natural Speaker Foundations<sup>™</sup> model NF30b



### VISIONMOUNT® FLAT-PANEL TV WALL MOUNTS & ACCESSORIES

Features and Benefits	59
Choosing the Right Mount	60
Motorized Mounts	61–62
Extra-Large Mounts	63–64
Large Mounts	65–66
Medium Mounts	67–70
Small Mounts	71–72
Recessed In-Wall Box	73–74
Flat-Panel Frames	75–76
Aristos Optic Mirror Kits	77–78

Desk Mounts	79–80
Large Ceiling Mounts	81–82
Ceiling Mounts	83–84
Under-Cabinet Mount	85
Pull-Out Cabinet Mount	86
Flat-Panel TV Accessories	87–88
Flat-Panel Mount Adapters	89–90
Speaker Mounts	91–92
Projector Mount	93
CRT TV Mounts	94



Visionmount<sup>®</sup> model VMPL50b in use with Woodbrook AV Foundations<sup>™</sup> model WFAV44mo

# AV FOUNDATIONS" SIZE CHART

	AV FOUNDATIONS <sup>™</sup> LL-MOUNTED FURNITURE black/smoked glass LL-MOUNTED FURNITURE black/smoked glass LL-MOUNTED FURNITURE black/smoked glass AV FOUNDATIONS <sup>™</sup> AV CABINET mocha/smoked glass NT AV FOUNDATIONS <sup>™</sup> CABINET cherry/black ● espresso/black	PAGE 20 VF2022 PAGE 20 VF5022 PAGE 20 VF5023 PAGE 20	For audio and For audio and	video components o video components o video components o	inly inly			24" w × 18"d 50 lbs 39" w × 18"d 75 lbs 38.4" w × 17"d 75 lbs 38.4" w × 17"d 75 lbs 31.25" w × 22"d 110 lbs	up to 2 standard components up to 4 standard components up to 4 standard components up to 6 standard
	black/smoked glass LL-MOUNTED FURNITURE black/smoked glass LL-MOUNDATIONS <sup>TM</sup> AV CABINET mocha/smoked glass ENT AV FOUNDATIONS <sup>TM</sup> CABINET cherry/black espresso/black	PAGE 20 VF2022 PAGE 20 VF5022 PAGE 20 VF5023 PAGE 20	For audio and For audio and For audio and DFAV30	video components o video components o video components o	inly inly			50 lbs 39" w × 18"d 75 lbs 38.4" w × 17"d 75 lbs 38.4" w × 17"d 75 lbs 31.25" w × 22"d	components up to 4 standard components up to 4 standard components up to 6 standard components
	black/smoked glass LL-MOUNTED FURNITURE black/smoked glass wood/smoked glass LL-MOUNTED FURNITURE black/smoked glass wood/smoked glass AV FOUNDATIONS <sup>TM</sup> AV CABINET mocha/smoked glass ENT AV FOUNDATIONS <sup>TM</sup> CABINET cherry/black espresso/black	PAGE 20  VF5022 PAGE 20  VF5023 PAGE 20	For audio and For audio and DFAV30	video components o video components o	inly			75 lbs 38.4" w × 17"d 75 lbs 38.4" w × 17"d 75 lbs 31.25" w × 22"d	components up to 4 standard components up to 6 standard components
	black/smoked glass wood/smoked glass  LL-MOUNTED FURNITURE black/smoked glass AV FOUNDATIONS <sup>TM</sup> AV CABINET mocha/smoked glass  AV CABINET mocha/smoked glass  NT AV FOUNDATIONS <sup>TM</sup> CABINET cherry/black espresso/black	PAGE 20	For audio and DFAV30	video components o	inly			75 lbs 38.4" w × 17"d 75 lbs 31.25" w × 22"d	components up to 6 standard components
	black/smoked glass wood/smoked glass AV FOUNDATIONS <sup>TM</sup> AV CABINET mocha/smoked glass AV CABINET mocha/smoked glass ENT AV FOUNDATIONS <sup>TM</sup> CABINET cherry/black espresso/black	PAGE 20	DFAV30	DF				75 lbs 31.25" w × 22"d	components
	AV CABINET mocha/smoked glass AV CABINET mocha/smoked glass ENT_AV FOUNDATIONS <sup>™</sup> CABINET cherry/black ● espresso/black	CEASE			//0				
	mocha/smoked glass AV CABINET mocha/smoked glass ENT AV FOUNDATIONS™ CABINET cherry/black ● espresso/black	CEASE			//9				
	mocha/smoked glass ENT AV FOUNDATIONS <sup>™</sup> CABINET cherry/black ● espresso/black	CFA56			//0				up to 3 standard components
	CABINET cherry/black espresso/black	CFA56			E 22			48.25" w × 22"d 150 lbs	up to 4 standar components
	cherry/black espresso/black	CFA56							
	AV CARINET	PAGE 24	For audio and v	video components o	nly – not recomme	nded for TVs		23.25" w × 23.25"d 40 lbs	up to 8 standan components
	cherry/black espresso/black			CFV47 PAGE 24				47" w × 20"d 200 lbs	up to 4 standa components
	AV CABINET cherry/black espresso/black	0 0 0 0 1 0	0 0 0 0	CFAV34 PAGE 24				34.5" w × 23.25"d 60 lbs	up to 6 standa components
	NBOY cherry/black espresso/black	U 0 0 0			88	CFV69 PAGE 24		69" w × 19"d 275 lbs	up to 6 standa components
WOODBRO	OK AV FOUNDATIONS™								
	CABINET cherry mocha	WFAS PAGE 25		nd video component	s only – not recom	mended for TVs		23.75" w × 23.75"d 100 lbs	up to 6 standa components
	CABINET cherry mocha		<b>NFA37</b> PAGE 25					23.75" w × 23.75"d 125 lbs	up to 4 standa components
	CAV CABINET			PAGE 25				44.75" w × 23.75"d 250 lbs	up to 8 standa components
	CAV CABINET	0 0 0 0 0	0 0 0 0	WFV44 PAGE 26				44.75" w × 23.75"d 350 lbs	up to 8 standar components
STATE OF TAXABLE PARTY.	DESCREEN LOWBOY cherry mocha	U 0 0 0	и и п п 0 0 0 0			WFV66 Page 26		65.75" w × 23.75"d 350 lbs	up to 6 standar components
	DESCREEN TV/AV CABINET cherry omocha					<b>AV66</b> GE 26		65.75" w × 23.75"d 250 lbs	up to 12 standa components
JAVA AV FC	DUNDATIONS™								
	CABINET espresso		<b>JFA36</b> PAGE 28					21" w × 20.5"d 100 lbs	up to 4 standar components
the second se	<b>NBOY</b> espresso	Matching plasm	na rails available to s	suspend TV above lowboy		<b>JFV65</b> PAGE 28		60.5" w × 20"d 275 lbs	up to 6 standa components
	CKDROP espresso	U U U	U U U	<b>JFE</b> Pag				175 lbs	
COMPLE	EMENTS DROP-DOWN TV SCREENS	IENTS WALL-MOI	UNTED FLAT-PANEL TV	/S P	OSSIBLE TV SIZE RANGE		RECOMME	NDED TV SIZE	

IMPORTANT: The information shown above is for general guidance only. TV dimensions vary widely, therefore it is important to confirm that the dimensions of your specific TV will be compatible with the furniture shown above. Sanus does not warrant that any TV within the size ranges above will fit onto the specified furniture.

RECOMMENDED TV SIZE (INCHES) 1	7 20 23 26 29 32 35 38 41 44 47 50 53 56 59 60 63 66 69 72 »80	TOP SHELF Size/capacity	AV COMPONENT Storage
NATURAL AV FOUNDATIONS"			
TV/AV STAND	NFV249	49" w × 19"d	up to 4 standard
cherry black mocha	PAGE 30	150 lbs	components
TV/AV STAND	NFAV230	30" w × 18"d	up to 3 standard
cherry black mocha	PAGE 30	110 lbs	components
AV STAND	NFA245 For audio and video components only – not recommended for TVs PAGE 30	26" w × 22"d	up to 5 standard
cherry black mocha		60 lbs	components
PLATINUM AV FOUNDATIONS"			
WIDESCREEN LOWBOY	PAGE 31	60" w × 20.7" d 150 lbs	up to 6 standard components
WIDESCREEN TV/AV STAND	PFV48	48" w × 20.7" d	up to 4 standard
	PAGE 31	150 lbs	components
TV/AV STAND	PFV30	30.7" w × 20.7"d	up to 3 standard
black	PAGE 32	100 lbs	components
WIDESCREEN LOWBOY	PFV59	59" w × 18.5"d	up to 6 standard
	PAGE 32	100 lbs	components
WIDESCREEN TV/AV STAND	PFV47	47" w × 18.5" d	up to 4 standard
	PAGE 32	150 lbs	components
TV/AV STAND	PFV36	35.5" w × 12.5" d	up to 3 standard
	PAGE 32	100 lbs	components
FLAT PANEL AV FOUNDATIONS™			
SMALL FLAT-PANEL LCD STAND	FFSF1A	19.5" w × 12" d	up to 2 standard
	PAGE 33	25 lbs	components
MEDIUM FLAT-PANEL LCD STAND	FFMF2A	19.5" w × 12" d	up to 3 standard
	PAGE 33	25 lbs	components
LARGE FLAT-PANEL/PLASMA TV STAND	PFFP	35" w × 17" d	up to 2 standard
	PAGE 34	50 lbs	components
LARGE TWO-SHELF FLAT-PANEL/PLASMA STAND	PFFP2	24.25" w × 16.5"d	up to 3 standard
	PAGE 34	50 lbs	components
STEEL AV FOUNDATIONS™			
TV/AV STAND	SFA29	27.5" w × 21.75"d	up to 6 standard
black	PAGE 30	125 lbs	components
WIDESCREEN TV/AV STAND	SFV49	50" w × 20.25"d	up to 4 standard
	PAGE 36	200 lbs	components
WIDESCREEN LOWBOY	SFV65	65" w × 20.3"d	up to 4 standard
	PAGE 38	150 lbs	components
WIDESCREEN LOWBOY	SFV265	65" w × 20.3"d	up to 8 standard
	PAGE 38	150 lbs	components
EURO AV FOUNDATIONS™			
AUDIO BASE & SHELVES holds up to 7 additional audio expansion shelves (model: EFAS-II) black/black  black/silver	EFAB-II PAGE 38	22.5" w × 19.5"d 125 lbs	up to 1 standard component
VIDEO BASE & SHELVES           holds up to 6 additional video expansion shelves (model: EFVS-II)           black/black	EFAV-II	40.5" w × 19.5"d	up to 2 standard
	PAGE 38	275 lbs	components
ACCURATE AV FOUNDATIONS™			
TV/AV STAND holds up to 4 additional expansion shelves (model: AFS) black/silver	AFA PAGE 39	23" w × 19.5"d 100 lbs	up to 3 standard components
WIDESCREEN TV/AV STAND	AFV48	48" w × 18.5"d	up to 4 standard
	PAGE 39	200 lbs	components

## SPEAKER FOUNDATIONS" SIZE CHART

CAPACITY (Ib	le()			· · · · · ·	5 BASE PLATE Dimensions	TOP PLATE Dimensions
	SATELLITE SPEAKERS	SMALL BOOKSHELF SPEAKERS	MEDIUM BOOKSHELF SPEAKERS	LARGE BOOKSHELF SPEAKERS	W X D	W X D
	ATE FOUNDATIONS™					
	22" BOOKSHELF SPEAKER STAND black	0 0 0 0 0	<b>UF22</b> PAGE 44		13" x 13.25"	8" x 8.5"
	26" BOOKSHELF SPEAKER STAND black	0	<b>UF26</b> PAGE 44		13" x 13.25"	6" x 6.5"
	30" BOOKSHELF SPEAKER STAND black	<b>UF30</b> PAGE 44			13" x 13.25"	6" x 6.5"
	34" BOOKSHELF SPEAKER STAND black	<b>UF34</b> PAGE 44			13" x 13.25"	6" x 6.5"
STEEL	_ FOUNDATIONS™					
	18" CENTER-CHANNEL SPEAKER STAND black	0 0 0 0 0	SFC18 PAGE 46		14.75" x 11.75"	14" x 8"
	22" CENTER-CHANNEL SPEAKER STAND black	0 0 0 0	SFC22 PAGE 46		14.75" x 11.75"	14" x 8"
T	22" BOOKSHELF SPEAKER STAND black	0	<b>SF22</b> PAGE 46		11.75" x 14.75"	8" x 8.5"
	26" BOOKSHELF SPEAKER STAND black	0	<b>SF26</b> PAGE 46		11.75" x 14.75"	6" x 6.5"
	30" BOOKSHELF SPEAKER STAND black	<b>SF30</b> PAGE 46			11.75" x 14.75"	6" x 6.5"
	34" BOOKSHELF SPEAKER STAND black	<b>SF34</b> PAGE 46			11.75" x 14.75"	6" x 6.5"
NATUF	RAL FOUNDATIONS"					
	18" CENTER-CHANNEL SPEAKER STAND black cherry mocha	NFC18 PAGE 48			18" x 11.75"	14" x 8"
Т	18" BOOKSHELF SPEAKER STAND black cherry mocha	<b>NF18</b> PAGE 48			10.5" x 11.75"	7.5" x 7.5"
	24" BOOKSHELF SPEAKER STAND black cherry mocha	<b>NF24</b> PAGE 48			10.5" x 11.75"	7.5" x 7.5"
	30" BOOKSHELF SPEAKER STAND black cherry mocha	NF30 Page 48			10.5" x 11.75"	6" x 6"
	36" BOOKSHELF SPEAKER STAND black cherry mocha	<b>NF36</b> PAGE 48			10.5" x 11.75"	6" x 6"

CAPACITY (Ibs	) 5	5 10 1	5 20 2	25 30 3	35 BASE PL/ Dimensio	
	<b>SATELLITE</b> SPEAKERS	SMALL BOOKSHELF SPEAKERS	MEDIUM BOOKSHELF SPEAKERS	LARGE BOOKSHELF SPEAKERS	W X D	
EURO	FOUNDATIONS™					
	20" BOOKSHELF SPEAKER STAND black	<b>EF20</b> PAGE 50			10.5" x 12	2" 6" x 6.5"
T	24" BOOKSHELF SPEAKER STAND black	<b>EF24</b> PAGE 50			10.5" x 12	2" 6" x 6.5"
	28" BOOKSHELF SPEAKER STAND	<b>EF28</b> PAGE 50			10.5" x 12	2" 5" x 5" or 6" x 6.5"
	SATELLITE SPEAKER STAND black silver Black				10.5" x 12	2" multiple mount options available
BASIC	FOUNDATIONS™					
T	16" BOOKSHELF SPEAKER STAND	<b>BF16</b> PAGE 52			12.5" x 1	1" 7" x 7"
	24" BOOKSHELF SPEAKER STAND black	<b>BF24</b> PAGE 52			12.5" x 1	1" 6.5" x 6.5"
	31" BOOKSHELF SPEAKER STAND black	<b>BF31</b> PAGE 52			12.5" x 1	1" 5" x 5"
HTB FO	OUNDATIONS™					
Ŧ	SATELLITE SPEAKER STAND black HTB3 PAGE 53				6.5" x 11.7	75" multiple mount options available
	SATELLITE SPEAKER STAND black glass/silver HTB4 PAGE 53				14.5" x 1	1" multiple mount options available
	SATELLITE SPEAKER STAND silver & black				7.75" x 1	g" multiple mount options available
HOVEF	R FOUNDATIONS™					
1	SATELLITE SPEAKER STAND black HF1 PAGE 50				9" x 15"	multiple mount options available

POSSIBLE SPEAKER SIZE BANGE

RECOMMENDED SPEAKER SIZE

www.sanus.com • 800.359.5520

# VISIONMOUNT® SIZE CHART

RECOMMENDED TV SIZE (INCHES) 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57	7 58 59 60 61 62 63 64 65 »84
MOTORIZED	
	INTERFACE VERSAL
	INTERFACE VERSAL
FULL-MOTION	
XF228         HOLDS UP TO         EXTENC           PAGE 63         200 lbs         28"	
VMDD26 HOLDS UP TO EXTEND PAGE 63 175 Ibs 25.75	
LF228 HOLDS UP TO EXTENDS TV INTERFACE PAGE 65 130 Ibs 28" UNIVERSAL	
PAGE 65 T30 Ibs 25.75" UNIVERSAL	
VMAA18         HOLDS UP TO         EXTENDS         TV INTERFACE           PAGE 65         130 lbs         19.5"         UNIVERSAL	
VMSA HOLDS UP TO EXTENDS TV INTERFACE PAGE 65 150 Ibs 9.5" UNIVERSAL	
VM400 HOLDS UP TO EXTENDS VESA* 100, 200 x 100, 200 x 200 PAGE 68 100 Ibs 20" VESA* 100, 200 x 300, 400 x 300	
MF110         HOLDS UP TO         EXTENDS         VESA* 100, 200 x 200, 200 x 200, 300 x 300           PAGE 68         100 lbs         9.5"         300 x 200, 300 x 300, 400 x 300	
MF215 HOLDS UP TO   EXTENDS   VESA* PAGE 69 60 Ibs   15.5" 75, 100, 200 x100 & 200 x200	
MF209 HOLDS UP TO   EXTENDS   VESA* PAGE 69 60 lbs   9.25" 75, 100, 200 x100 & 200 x200	
MF203 HOLDS UP TO VESA* PAGE 69 60 lbs 75, 100, 200×100 & 200×200	
MF202 HOLDS UP TO VESA* PAGE 69 60 Ibs 75, 100, 200×100 & 200×200	
SF213 HOLDS UP TO   EXTENDS   VESA*	
SF208 HOLDS UP TO   EXTENDS   VESA*	
PAGE 72         45 lbs         8"         75, 100, 200 x100           SF203         HOLDS UP TO         VESA+	
PAGE 72 50 Ibs   75, 100, 200×100	
TILTING	
VMPL3 HOLDS UP TO TILTS TV INTERFACE PAGE 63 280 Ibs +6° to -12° UNIVERSAL	
LT25 HOLDS UP TO TULS TV INTERFACE PAGE 66 175 Ibs +8° to -10° UNIVERSAL	
VMPL50 HOUSUP TO TUES TV INTERFACE PAGE 66 130 Ibs ±12° UNIVERSAL	
MT25 HOLDS UP TO   TILTS   VESA+ UNIVERSAL, 50, 75, 100, 200 x 100, PAGE 69 100 lbs ±15° 200 x 200, 400 x 200, 400 x 300	
VMF         HOLDSUP TO         TILTS         VESA*           PAGE 72         50 lbs         ±15°         75 & 100	

 $^{\ast}$  Mounts are compatible with all VESA standard patterns for flat-panel monitors and TVs

RECOMMENDED TV SIZE (INCHES) 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61	62 63 64 65 »84
LOW-PROFILE	
VMPL3 PAGE 63 VMPL3 PAGE 63 280 Ibs 1.5" UNIVERSAL	
LL11 HOLDS UP TO PROFILE TV INTERFACE PAGE 06 150 lbs .55" UNIVERSAL	
LL22 HOLDS UP TO PROFILE TV INTERFACE PAGE 66 175 Ibs 1.5" UNIVERSAL	
VMPL250 HOLDS UP TO PROFILE TV INTERFACE PAGE 66 130 Ibs 1.25" UNIVERSAL	
ML11 HOLDSUP TO   PROFILE   TV INTERFACE PAGE 68 100 Ibs   .55"   UNIVERSAL	
ML22         HOLDS UP TO PAGE 68         PROFILE 100 Ibs         VESA*         UNIVERSAL, 50, 75, 100, 200 x 100, 200 x 200, 400 x 300	
VMFL1         HOLDS UP TO         PROFILE         VESA*           PAGE 72         40 Ibs         .5"         75 & 100	
SPECIALTY	
MD115 HOLDS UP TO EXTENDS VESA* PAGE 80 35 Ibs 18.5" 75, 100, 200 x100 & 200 x200	DESK MOUNT
MD103 HOLDS UP TO VESA* PAGE 80 35 lbs 75, 100, 200 x100 & 200 x 200	DESK MOUNT
SD115         HOLDS UP TO         EXTENDS         VESA*           PAGE 80         20 lbs         15"         75 & 100	desk Mount
SD103 HOLDS UP TO VESA* PAGE 80 20 Ibs 75 & 100	DESK MOUNT
LC2A HOLDS UP TO TUTS TV INTERFACE PAGE 81 300 Ibs +5° to -15° UNIVERSAL	CEILING MOUNT
LC1A HOLDS UP TO TUTS TV INTERFACE PAGE 81 175 Ibs +5° to -15° UNIVERSAL	Ceiling Mount
MC1A HOLDS UP TO   TILIS PAGE 83 70 Ibs   +15° to -15°   YESA* 75, 100, 200 x 100, 200 x 200	Celling Mount
SC1A         HILDIS UP TO         TILTS         VESA*           PAGE 83         50 lbs         +15° to -15°         75 & 100	CELING MOUNT
VMUC1 PAGE 85         HOLDS UP TO 15 lbs         SWINGS +10° to -90°         VESA* 75 & 100	UNDER-CABINET MOUNT
VMP01         HOLDS UP TO PAGE 86         EXTENDS         VESA*           130 Ibs         5.5"         100 & 200	PULL-OUT Cabinet Mount
VMTV HOLDS UP TO PAGE 94 100 Ibs	CRT TV Mount

### MOUNT COMPATIBILITY TV HOLE PATTERNS


Sanus VisionMount® products are compatible with virtually every television on the market. The television manufacturers use two different standards for designing the back of their TVs so they can be mounted.

#### VESA

VESA is a standard that dictates the exact placement of the holes on the back of a TV. Typically, LCD flat-panel TVs follow VESA standards. There are

several sizes of TVs and mounts within the VESA standards (75 mm x 75 mm; 100 mm x 100 mm; etc.) When purchasing a TV that follows VESA guidelines, it is important to choose a mount that uses the same VESA standard as the TV. The other critical element in choosing the right mount is to compare the weight of the TV to the weight rating of the mount.





#### RANDOM

The second concept is not really a "standard" at all. Rather, TV manufacturers who do not follow the VESA standards place their mounting holes on the back of their TV in non-conforming places. For these TVs, Sanus makes "universal" mounts. This means there are brackets that can be adjusted back and forth to properly align with many mounting holes. When mounting a TV with a random hole pattern, in addition to choosing a "universal" mount, it is critical to also compare the weight of the TV to the weight rating of the mount.



# SANUS ELEMENTS

Sanus Elements<sup>™</sup> is a **quality line of accessories** that includes screen care, surge protection and home theater installation products designed to **enhance the use of residential high-end electronics**. Our special alcohol-free gel and gentle cleaning cloths remove oils and fingerprints, and our surge protectors and cable tunnels safeguard valuable electronic equipment.





 Alcohol- and ammonia-free gel will not harm screens or discolor bezels



« Microfiber cloth will not leave behind lint or residue



« Surge protector is less than 1.5" in depth



« Micro-Mist<sup>™</sup> bottle provides targeted non-streaking spray



« Surge protector designed for use behind flat-panel TV wall mounts and furniture



« Six outlets swivel up to 90°, placing cables nearly flush against the wall for low-profile capability

### SCREEN CARE





### SURGE PROTECTION

MODEL ELM205-B1	DESCRIPTION Flat-panel HD Power Conditioner and Surge compatibility to attach directly to Sanus LL2 Sits just 1.3" from the wall for use behind T PRODUCT DIMENSIONS (w x d x h) 7.7" x 1.3" x 3.6" 19.6 x 3.3 x 9.1 cm	2, LT25 and LMT15 mounts.
MODEL ELM203-B1	DESCRIPTION Low-profile Surge Protector specially desig mounts and furniture. Less than 1.5" in dep components from damaging power surges. placing cables nearly flush against the wal PRODUCT DIMENSIONS (w x d x h) 5.4" x 1.4" x 4.6" 13.7 x 3.6 x 11.7 cm	th, it protects valuable electronic Four outlets swivel up to 90°,
MODEL ELM202-B1	DESCRIPTION Low-profile Surge Protector sits just 1.5" fro behind wall mounts and furniture. Its six sur to the right or left, placing cables nearly flus PRODUCT DIMENSIONS (w x d x h) 4.125" x 2.25" x 6.5" 10.5 x 5.7 x 16.5 cm	ge-protected outlets can be swiveled 90°

SANUS ELEMENTS"

# SANUS ELEMENTS



« ABS channels can be painted and cut




« Connects around an inside or outside corner



« Easy to install — simply attach wall clips, fasten cables into place and snap tunnels onto mounts for a seamless look

« Multiple 45° or 90° elbow connectors allow flexibility in placement

### CABLE TUNNELS





### POWER BRIDGE



### RECESSED IN-WALL BOX

MODEL

ELM803-B1

# DESCRIPTION In-wall Low Voltage Cable Box positions a flat-panel TV as flush with the wall as possible. Sits directly behind TV to route cables through wall for a flawless installation.

**PRODUCT DIMENSIONS (w x d x h)** 8.1" **x 2.5**" **x 6.5**" 20.7 x 6.4 x 16.5 cm

- Allows ultra-thin TVs to sit flush with the wall by routing cables and wires through wall
- Features cable routing holes and a low-voltage power inlet/outlet opening









AV FURNITURE & ACCESSORIES

# AV FOUNDATIONS

### FEATURES AND BENEFITS . INNOVATIVE TECHNOLOGY



#### « Convection Cooling System

Concealed venting allows heated air to flow out the top while drawing in cool air through the bottom, keeping AV components at a proper temperature



« Virtually Eliminates Resonance Custom-engineered construction using strategically placed MDF virtually eliminates resonance



#### « Elegant Glass Shelves Extra-thick tempered-glass shelves are heat-treated for added safety, strength

and shatter resistance



« **Sturdy Construction** Solid heavy-gauge steel construction offers strength and support in a clean design



« Wire Management System Wire management system helps keep cables concealed and organized



 Solid Materials
 Construction using hardwood veneers or solid hardwood frames offers an outstanding combination of stability, durability and style



« **Designed To Handle Large Systems** Deep, spacious shelves are designed to handle even the largest AV systems



« Easy To Assemble Assembly hardware included for easy installation



« Multiple Options Versatile furniture lines offer multiple designs, sizes and finishes



« Versatile Designs

Select models feature expandable shelf options and interchangeable door panels to match any home décor and AV equipment need



### VERTICAL AV FOUNDATIONS

#### Modern meets practical with Vertical AV Foundations™

Sanus Vertical AV Foundations<sup>™</sup> combine the storage capacity of a cabinet with the discreet look of a low-profile wall mount, creating a versatile, stylish piece that can virtually fade into the woodwork. These wall-mounted AV stands feature **adjustable tempered-glass shelves** and generous **cable management channels**, so they're perfect for mounting directly under a TV. And some models offer **interchangeable glass and wood back panels** in case you change your décor. It's the most practical piece of art you'll ever own.





« Strong tempered-glass shelves can be vertically adjusted to accommodate any AV component arrangement



« VF5022 and VF5023 include interchangeable black glass and wood back panels to match any home décor



« VF2012 and VF2022 feature post-installation height adjustment to mount directly below television



« Generous cable management channels conceal and route power cables and signal wires



MODEL VF5023-B1	<b>DESCRIPTION</b> Decorator Panel Three-shelf AV Wall-Mounted Furniture; Includes 2 wood and 2 glass back panels		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 38.4" x 20.8" x 31.5" 97.5 x 52.8 x 80 cm	<b>TOP SHELF SIZE/CAPACITY</b> 38.4" x 17" / 75 lbs. 96.5 x 43.1 cm / 34 kg	
	MID SHELF SIZE/CAPACITY 38.4" x 17" / 75 lbs. 96.5 x 43.1 cm / 34 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 38.4" x 17" / 75 lbs. 96.5 x 43.1 cm / 34 kg	
MODEL VF5022-B1	DESCRIPTION Decorator Panel Two-shelf AV Wall-Mounted Furniture; Includes 2 wood and 2 glass back panels		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 38.4" x 20.8" x 24.5" 97.5 x 52.8 x 62.2 cm	<b>TOP SHELF SIZE/CAPACITY</b> 38.4" x 17" / 75 lbs. 96.5 x 43.1 cm / 34 kg	
	MID SHELF SIZE/CAPACITY n/a	<b>BOTTOM SHELF SIZE/CAPACITY</b> 38.4" x 17" / 75 lbs. 96.5 x 43.1 cm / 34 kg	
MODEL VF2022-B1	DESCRIPTION Double-Column Wall-Mounted Furniture		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 39" x 18" x 21.5" 99 x 45.7 x 54.6 cm	<b>TOP SHELF SIZE/CAPACITY</b> <b>39" x 18" / 75 lbs</b> . 99 x 45.7 cm / 34 kg	
	MID SHELF SIZE/CAPACITY n/a	<b>BOTTOM SHELF SIZE/CAPACITY</b> 39" x 18" / 75 lbs. 99 x 45.7 cm / 34 kg	
MODEL VF2012-B1	DESCRIPTION Single-Column Wall-Mounted Furniture		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 24" x 18.1" x 21.5" 61 x 46 x 54.6 cm	<b>TOP SHELF SIZE/CAPACITY</b> 24" x 18" / 50 lbs. 61 x 45.7 cm / 22.7 kg	
	MID SHELF SIZE/CAPACITY n/a	<b>BOTTOM SHELF SIZE/CAPACITY</b> 24" x 18" / 50 lbs. 61 x 45.7 cm / 22.7 kg	
FINISH OPTIONS			

AV FOUNDATIONS"

included with VF5022-B1 and VF5023-B1 only

Mocha

Black (B)



### DESIGNER AV FOUNDATIONS

#### Specially engineered for style and functionality

The AV Foundations Designer Series was created exclusively for Sanus by **renowned industrial design firm** Cramer Studio. Each piece features rich, **mocha-finished hardwood** and smoked **tempered glass** construction, giving AV gear an enclosed look without blocking infrared remote controls. Because the Designer Series was created to handle large AV components, both pieces feature individually **removable steel back panels** to provide additional depth or to allow easy cabling and maintenance.




« Rich mocha-finished hardwood legs

« Unique convection cooling system allows heated air to escape through top as cooler air is drawn in through bottom

« Smoked tempered-glass gives AV gear an enclosed look without blocking infrared remote controls



« Spacious shelves designed to fit the largest AV gear





# FINISH OPTIONS

# COMPONENT AV FOUNDATIONS





CFA56-EB1 | CFV47-EB1 | UF34

Built to perform with no compromising on aesthetics The Component Series was engineered for serious audiophiles. Extra-deep cable management channels span cabinet widths to contain complex cable systems, and quick-release back panels provide easy access to cables and wires. These high-test, spacious pieces feature resonance-absorbing MDF construction and beautiful hardwood veneers to provide a superior acoustic — and aesthetic — performance.



« Center channel cavity with speaker grill cloth on CFV69 allows for concealed speaker placement



« Extra-deep, full-width wire channel easily contains all cables from even the most complex systems



« Removable carpet glides make rearranging furniture easy on carpeted surfaces



« Adjustable isolation shelves separate AV components for vibration reduction



« Convection cooling system allows heated air to escape as cooler air is drawn in



« Solid polyester feet with optional carpet spikes dampen resonance



« Quick-release removable back panels provide easy access to AV components for wiring



« Versatile line includes glass and wood door-panel options for a customizable design



MODELS CFA56-EB1 CFA56-CB1	DESCRIPTION         AV Cabinet; available in cherry/black and espresso/black         Includes resonance-damping shelf for the most delicate components         PRODUCT DIMENSIONS (w x d x h)       TOP SHELF SIZE/CAPACITY         23.25" x 23.25" x 23.25" x 56"		
	59 x 59 x 142.25 cm <b>MID SHELF SIZE/CAPACITY</b> 19" x 19" / 50 lbs. 48.25 x 48.25 cm / 22.75 kg	59 x 59 cm / 18 kg <b>BOTTOM SHELF SIZE/CAPACITY</b> 19" x 19" / 75 lbs. 48.25 x 48.25 cm / 34 kg	
MODELS CFV69-EB1 CFV69-CB1	<b>DESCRIPTION</b> Lowboy; available in cherry/black and esp	presso/black	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 69" x 20" x 21" 175.25 x 50.8 x 53.3 cm	<b>TOP SHELF SIZE/CAPACITY</b> 69" x 20" / 275 lbs. 175.25 x 50.8 cm / 124.75 kg	
	MID SHELF SIZE/CAPACITY 26.5" x 15" / 50 lbs. 67 x 38 cm / 22.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 19" x 15" / 50 lbs. 48.25 x 38 cm / 22.75 kg	
MODELS CFV47-EB1 CFV47-CB1	<b>DESCRIPTION</b> TV/AV Cabinet; available in cherry/black and espresso/black		
0.0	<b>PRODUCT DIMENSIONS (w x d x h)</b> 47" x 20" x 21" 119.25 x 50.75 x 53.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 47" x 20" / 200 lbs. 119.25 x 50.75 cm / 90.75 kg	
	MID SHELF SIZE/CAPACITY 43" x 15" / 100 lbs. 109.25 x 38 cm / 45.5 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 43" x 15" / 150 lbs. 109.25 x 38 cm / 68 kg	
MODELS CFAV34-EB1 CFAV34-CB1	DESCRIPTION AV Stand; available in cherry/black and espresso/black		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 34.5" x 23.25" x 28" 87.6 x 59 x 71.1 cm	<b>TOP SHELF SIZE/CAPACITY</b> 34.5" x 23.25" / 60 lbs. 87.6 x 59 cm / 27.2 kg	
	MID SHELF SIZE/CAPACITY 30.5" x 19.25" / 50 lbs. 77.5 x 48.9 cm / 22.7 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 30.5" x 19.25" / 100 lbs. 77.5 x 48.9 cm / 45.4 kg	
FINISH OPTIONS	Espresso/Black (EB)	Cherry/Black (CB)	

# WOODBROOK AV FOUNDATIONS



Fine furniture that satisfies both AV and interior design enthusiasts Passion meets creativity with Sanus Woodbrook AV Foundations<sup>™</sup>. Connoisseurs of fine furniture will be pleasantly surprised by the quality of construction, with beautiful materials such as **solid hardwoods** and **tempered glass**. But the real beauty lies in the creative **flexibility to customize each piece**. Door options include glass to prominently display AV components or solid hardwood to cleverly conceal them. The result is an AV setting with clean lines and a timeless look that's sure to inspire.

100 100

« Versatile stands feature removable doors for a completely different look




« Convection cooling system allows heated air to escape as cooler air is drawn in



« Extra-deep, full-width wire channel easily contains all cables from even the most complex systems



 All models include removable glass and wood door inserts; WFAV66 and WFV66 also include optional grill cloth for the center door



FINISH OPTIONS

Mocha (mo)

Cherry (c)

17

MODELS WFV44ro WFV44c	DESCRIPTION Double-wide, Five-shelf TV/AV Cabinet; available in mocha and cherry		Includes 2 wood and 2 glass panels
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 44.75" x 23.75" x 21.25" 113.75 x 60.25 x 54 cm	TOP SHELF SIZE/CAPACITY           44.75" x 23.75" / 350 lbs.           113.75 x 60.25 cm / 158.7	'5 kg
	<b>MID SHELF SIZE/CAPACITY</b> 17.75" x 17.75" / 60 lbs. 49 x 45 cm / 27.25 kg	<b>BOTTOM SHELF SIZE/CAPAC</b> 19.25" x 17.75" / 100 lbs. 49 x 45 cm / 45.25 kg	CITY
MODELS WFV66mo	DESCRIPTION Triple-wide, Seven-shelf Widescreen Lowboy	r; available in mocha and cherry	Includes 2 wood and 2 glass panels
WFV66c	<b>PRODUCT DIMENSIONS (w x d x h)</b> 65.75" x 23.75" x 21.25" 167 x 60.25 x 54 cm	<b>TOP SHELF SIZE/CAPACITY</b> 65.75" x 23.75" / 350 lbs. 167 x 60.25 cm / 158.75 kg	]
	<b>MID SHELF SIZE/CAPACITY</b> 19.25" x 17.75" / 60 lbs. 49 x 45 cm / 27.25 kg	<b>BOTTOM SHELF SIZE/CAPAC</b> 19.25" x 17.75" / 100 lbs. 49 x 45 cm / 45.25 kg	CITY
MODELS WFAV66mo	DESCRIPTION Triple-wide, Thirteen-shelf Widescreen TV/AV	Cabinet; available in mocha and cherry	Includes 2 wood and 2 glass panels
WFAV66c	<b>PRODUCT DIMENSIONS (w x d x h)</b> 65.75" x 23.75" x 36.5" 167 x 60.25 x 92.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 65.75" x 23.75" / 250 lbs. 167 x 60.25 cm / 113.5 kg	1
	MID SHELF SIZE/CAPACITY 19.25" x 17.75" / 60 lbs. 49 x 45 cm / 27.25 kg	<b>BOTTOM SHELF SIZE/CAPA</b> 19.25" x 17.75" / 100 lbs. 49 x 45 cm / 45.25 kg	CITY



26

# JAVA AV FOUNDATIONS

Versatile, rock-solid design supports any combination of AV gear Tempered-glass doors with extruded aluminum frames complement beautiful espresso-finished oak veneers in our exotic Java Series. These unique, modern pieces offer deep shelves with detachable backs, fluted glass and a full-width cable management channel to conceal and route complex AV systems.





« Solid, contemporary furniture construction with beautiful, hardwood oak veneers in an espresso finish



« Hardwood backdrop mounts directly to the back of JFV65 to support VisionMount® VMPL50, VMPL250 and VMPL3 flat-panel TV mounts



« Unique fluted glass, espresso finish and aluminum frames provide a crisp, clean, contemporary look



« Sliding glass doors and aluminum frames allow access to components

Includes flat-panel TV rails for attaching LCD and plasma TVs using a Sanus VisionMount® wall mount TVs from 30" to 63".





N. A. Standing

<b>MODEL</b> JFV65e	DESCRIPTION Seven-shelf Widescreen Lowboy; available in espresso	Seven-shelf Widescreen Lowboy; attaching LCD and plasma TVs using a		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 64.5" x 20" x 18.25" 163.75 x 50.75 x 46.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 60.5" x 20" / 275 lbs. 153.75 x 50.75 cm / 124.75 kg		
	<b>MID SHELF SIZE/CAPACITY</b> 19" x 17.5" x 6" / 50 lbs. 48.25 x 44.5 x 15.25 cm / 22.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 19" x 17.5" x 6" / 75 lbs. 48.25 x 44.5 x 15.25cm / 34 kg		
MODEL JFA36e	<b>DESCRIPTION</b> Five-shelf AV Cabinet; available in espresso	,		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 25.25" x 20.5" x 36" 64 x 57.25 x 91.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 21" x 20.5" / 100 lbs. 53.25 x 52 cm / 45.25 kg		
	<b>MID SHELF SIZE/CAPACITY</b> 19" x 18.5" / 50 lbs. 48.25 x 47 cm / 27.25 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 19" x 18.5" / 75 lbs. 48.25 x 47 cm / 34 kg		
MODEL JFBD1e	<b>DESCRIPTION</b> Backdrop for JFV65e; available in espresso	<b>DESCRIPTION</b> Backdrop for JFV65e; available in espresso		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 60" x 1" x 42.25" 60.25 x 60.25 x 92.75 cm	<b>COMPATIBLE MOUNTS (sold separately)</b> VMPL250, VMPL50, VMPL3, VMPL2 and VMPL		

AV FOUNDATIONS\*

Espresso (e)

FINISH OPTION



### NATURAL AV FOUNDATIONS

Solid hardwood and steel accents put a modern spin on a classic The beautiful Natural Series line was carefully crafted using sol extra-thick <b>tempered-glass</b> and <b>rigid steel</b> hardware for incredi durability. These classic stands feature <b>open architecture</b> to allo airflow, keeping AV components cool for <b>optimal performance</b> .	id hardwood, ble strength and	NFAV230-B1   NF
« Concealed wire path keeps even the largest cables hidden	« Open architectu unrestricted airf	
« Beautiful natural hardwood and contrasting steel pillars provide a strong support	« Rear top shelf co allowing furnitur	orners are angled, re to fit tightly into corners
MDELS NFV249-B1 NFV249-M01	<ul> <li>DESCRIPTION Three-Shelf Audio/Video Stand Available in cherry with clear glass, black PRODUCT DIMENSIONS (w x d x h) 49" x 19" x 22" 124.5 x 48.25 x 55.8 cm</li> <li>MID SHELF SIZE/CAPACITY 41" x 19" / 50 lbs. 104 x 48.25 cm / 22.7 kg</li> </ul>	ack or mocha with smoked glass TOP SHELF SIZE/CAPACITY 49" x 19" / 150 lbs. 124.5 x 48.25 cm / 68 kg BOTTOM SHELF SIZE/CAPACITY 41" x 19" / 80 lbs. 104 x 48.25 cm / 36.2 kg
<b>NODELS</b> NFAV230-B1 NFAV230-C1	<b>DESCRIPTION</b> Four-Shelf Audio/Video Stand Available in cherry with clear glass, bl	ack or mocha with smoked glass
JFAV230-M01	<b>PRODUCT DIMENSIONS (w x d x h)</b> 30" x 18" x 29.9" 76.2 x 45.7 x 76 cm	<b>TOP SHELF SIZE/CAPACITY</b> 30" x 18" / 110 lbs. 76.25 x 45.75 cm / 49.9 kg
9.00	MID SHELF SIZE/CAPACITY 30" x 18" / 50 lbs. 76.25 x 45.75 cm / 22.7 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 30" x 18" / 70 lbs. 76.25 x 45.75 cm / 31.7 kg
NFA245-B1 VFA245-C1	<b>DESCRIPTION</b> Five-Shelf Audio Stand Available in cherry with clear glass, black or mocha with smoked glass	
NFA245-M01	<b>PRODUCT DIMENSIONS (w x d x h)</b> 26" x 22" x 45" 66 x 56 x 114.25 cm	<b>TOP SHELF SIZE/CAPACITY</b> 26" x 22" / 60 lbs. 66 x 55.9 cm / 27.2 kg
	MID SHELF SIZE/CAPACITY 18.5" x 22" / 50 lbs. 47 x 56 cm / 22.7 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 18.5" x 22" / 70 lbs. 47 x 56 cm / 31.7 kg

Black (B)

30

Mocha (MO)

## PLATINUM AV FOUNDATIONS"



#### The perfect addition to any home theater

AV Foundations Platinum Series stands feature a sleek, modern design to accommodate TVs and AV components with style. Each piece offers strong **tempered-glass** shelves and extra-large cable management channels to conceal and route complex cable arrangements. **Smoked glass side panels** offer an enclosed feel while open architecture allows **unrestricted airflow** to keep components cool.




« Extra-thick adjustable glass shelves for a sleek, modern look

« Sleek platinum lines offer a striking look

to accompany modern AV gear



« Large wire management channels keep cables organized and orderly



MODEL PFV60-B1	<b>DESCRIPTION</b> 60"-wide Three-shelf Video/AV Stand; available in black with black glass	
0 0	<b>PRODUCT DIMENSIONS (w x d x h)</b> <b>60" x 20.7" x 18.9"</b> 152.4 x 52.6 x 48 cm	<b>TOP SHELF SIZE/CAPACITY</b> 60" x 20.7" / 150 lbs. 89.2 x 52.6 cm / 68 kg
Pin	MID SHELF SIZE/CAPACITY 46.9" x 17.7" / 60 lbs. 119.1 x 45 cm/ 27.2 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 46.9" x 17.7" / 100 lbs. 119.1 x 45 cm / 45.4 kg
MODEL PFV48-B1	<b>DESCRIPTION</b> 48"-wide Three-shelf Video/AV Stand; available in black with black glass	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 48" <b>x 20.7" x 18.8</b> " 121.9 x 52.6 x 47.8 cm	<b>TOP SHELF SIZE/CAPACITY</b> 48" x 20.7" / 150 lbs. 121.9 x 52.6 cm / 68 kg
1 A A A A A A A A A A A A A A A A A A A	MID SHELF SIZE/CAPACITY 35.1" x 16.7" / 50 lbs. 89.2 x 42.4 cm / 22.7 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 35.1" x 16.7" / 150 lbs. 89.2 x 42.4 cm / 68 kg

MODEL PFAV30-B1	DESCRIPTION Four-shelf AV Stand; available in black with black glass		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 30.7" x 20.7" x 31.3" 78 x 52.6 x 79.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 30.7" x 20.7" / 100 lbs. 78 x 52.6 cm / 45.4 kg	
	<b>MID SHELF SIZE/CAPACITY</b> 21.3" x 16.7" / 50 lbs. 54.1 x 42.4 cm / 22.7 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 21.3" x 16.7" / 100 lbs. 54.1 x 42.4 cm / 45.4 kg	
MODEL PFV59b-01	<b>DESCRIPTION</b> Widescreen Lowboy; available in black with black glass		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 59" x 18.5" x 17" 150 x 47 x 43.25 cm	<b>TOP SHELF SIZE/CAPACITY</b> 59" x 18.5" / 150 lbs. 150 x 47 cm / 68 kg	
	<b>MID SHELF SIZE/CAPACITY</b> 47" x 17.25" / 60 lbs. 119.25 x 43.75 cm / 27.25 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 47" x 17.5" / 150 lbs. 119.4 x 44.5 cm / 68 kg	
MODEL PFV47b-01	<b>DESCRIPTION</b> Widescreen TV/AV Stand; available in black with black glass		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 47" x 18.5" x 17.25" 119.25 x 47 x 43.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 47" x 18.5" / 150 lbs. 119.25 x 47 cm / 68 kg	
	MID SHELF SIZE/CAPACITY 25.75" x 15.5" / 50 lbs. 65.5 x 39.25 cm / 22.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 25.75" x 15.5" / 150 lbs. 65.5 x 39.25 cm / 68 kg	
MODEL PFV36b-01	DESCRIPTION Four-Shelf TV/AV Stand; available in blac	k with black glass	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 36" x 18.5" x 25" 91.5 x 47 x 63.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 35.5" x 12.5" / 100 lbs. 90.25 x 31.75 cm / 45.25 kg	
	MID SHELF SIZE/CAPACITY 25.75" x 15.5" / 50 lbs. 65.5 x 39.25 cm / 22.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 25.75" x 18.5" / 100 lbs. 65.5 x 47 cm / 45.25 kg	
FINISH OPTIONS	Black (B)		

32

# FLAT PANEL AV FOUNDATIONS

Sleek lines and innovative structure support large TVs with grace The Flat Panel Series is the perfect complement to modern AV gear. The perfect alternative when wall mounting is not possible, our TV stands offer extra-strong aluminum construction and thick tempered-glass shelves to display nearly any combination of AV components. Features include a cable management channel and Sanus' patented Virtual Axis<sup>™</sup> or Virtual Axis 3D<sup>™</sup> fingertip tilting technology.





« Perfect solution for environments in which wall mounting is not possible



 Built-in wire management system conveniently hides and manages cables



 Height-adjustable tempered-glass shelves stylishly display your AV gear



« Included flat-panel TV mount features Virtual Axis™ or Virtual Axis™ 3D technology for smooth fingertip tilting motion

**BOTTOM SHELF SIZE/CAPACITY** 

31.5" x 19.25" / 50 lbs. 80 x 48.9 / 22.7 kg

TILT/SWIVEL/ROLL

 $\pm 15^{\circ} / \pm 15^{\circ} / 360^{\circ}$ 



MID SHELF SIZE/CAPACITY

23" x 13" / 25 lbs.

58.4 x 33 cm / 11.3 kg

**TV SIZE RANGE/CAPACITY** 

23" - 40" diagonal / 60 lbs.

58.4 - 101.6 cm / 27.2 kg

MODEL PFFPb	<b>DESCRIPTION</b> Flat-Panel/Plasma TV Stand holds 30"–50" large flat-panel TVs	A COMPANY OF A COM
	PRODUCT DIMENSIONS (w x d x h)         TOP SHELF SIZE/CAPACITY           43.25" x 23.25" x 43.75"         35" x 17" / 50 lbs.           109.9 x 59.1 x 111.2 cm         89 x 43.25 cm / 22.7 kg	
	MID SHELF SIZE/CAPACITY         BOTTOM SHELF SIZE/CAPACITY           n/a         43.25" x 23.25" / 50 lbs.           109.9 x 59.1 cm / 22.7 kg	
	TV SIZE RANGE/CAPACITY         TILT           30"-50" / 130 lbs.         ± 12°           76.25 - 127 cm / 59 kg         ************************************	
MODEL PFFP2b	<b>DESCRIPTION</b> Two-Shelf Flat-Panel/Plasma Stand holds 30"–50" large flat-panel TVs	A DECEMBER OF
	Two-Shelf Flat-Panel/Plasma Stand holds 30"-50" large flat-panel TVs <b>PRODUCT DIMENSIONS (w x d x h)TOP SHELF SIZE/CAPACITY</b> 43.25" x 23.25" x 48.75"24.25" x 16.5" / 50 lbs.	

FINISH OPTIONS			01 DL - L (0D)
	Piano Black (b)	Low Luster Black – PFFPb only	Silver-Black (SB)



# STEEL AV FOUNDATIONS



#### Strength and style in an affordable package

The AV Foundations Steel Series was created to complement large TVs and home theater components. Features include strong tempered-glass shelves, wire management channels and adjustable-height feet. Each piece offers heavy-gauge steel construction for extra strength, as well as open architecture to allow unrestricted airflow to AV components.




« Tempered-glass tops and shelves are extra-thick for additional support and safety



« Model SFA29 features adjustable-height shelves made of sturdy tempered glass



« Wire management path neatly hides and safely routes wires and cables



secure positioning on any floor



MODEL SFA29b	<b>DESCRIPTION</b> Four-Shelf TV/AV Stand with adjustable shelves; available in high-gloss black		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 27.5" x 21.8" x 29" 70 x 55.25 x 73.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 27.5" x 21.75" / 125 lbs. 70 x 55.25 cm / 56.75 kg	
	<b>MID SHELF SIZE/CAPACITY</b> <b>17.75" x 19.75" / 50 lbs.</b> 45 x 50.25 cm / 22.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> <b>17.75" x 19.75" / 100 lbs.</b> 45 x 50.25 cm / 45.5 kg	
MODEL SFV49b	<b>DESCRIPTION</b> Three-Shelf Widescreen TV/AV Stand; a	vailable in high-gloss black	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 50" x 20.25" x 22" 127 x 51.5 x 56 cm	<b>TOP SHELF SIZE/CAPACITY</b> 50" x 20.25" / 200 lbs. 127 x 51.5 cm / 90.75 kg	
	MID SHELF SIZE/CAPACITY 42.5" x 17.75" / 70 lbs. 108 x 45 cm / 31.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 42.5" x 17.5" / 70 lbs. 108 x 45 cm / 31.75 kg	
MODEL SFV65b	<b>DESCRIPTION</b> Two-Shelf Widescreen Lowboy; available in high-gloss black		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 65" x 20.25" x 18.75" 165 x 51.5 x 47.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 65" x 20.25" / 150 lbs. 165 x 51.5 cm / 68 kg	
ļ	MID SHELF SIZE/CAPACITY n/a	<b>BOTTOM SHELF SIZE/CAPACITY</b> 57.5" x 17.75" / 100 lbs. 146 x 45 cm / 45.5 kg	
MODEL SFV265-B1	<b>DESCRIPTION</b> Three-Shelf Widescreen Lowboy; availa	ble in high-gloss black	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 65" x 20.25" x 22.3" 165 x 51.5 x 56.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 65" x 20.25" / 150 lbs. 165 x 51.5 cm / 68 kg	
	MID SHELF SIZE/CAPACITY 57.7" x 17.75" / 100 lbs. 146 x 45 cm / 45.5 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> 57.7" x 17.75" / 100 lbs. 146 x 45 cm / 45.5 kg	

### FINISH OPTIONS

High-Gloss Black (b)

## EURO AV FOUNDATIONS



#### Modular furniture with a European flair

AV Foundations Euro Series furniture creates a clean, modern showplace for AV gear with a **modular design** that easily expands to fit any home entertainment system. **Open architecture** ensures proper airflow, and cable management channels conceal and organize cables for a sleek appearance.

EFAV-IIb | EFAB-IIb | EFSatb



« Add expansion shelves to completely customize the perfect AV system



« Wire management path adds to simple elegance of open design



 Heavy-gauge steel frame offers incredible strength and rigidity



« Available in black-on-black



Models EFAB-IIb, EFAS-IIb (x4), EFAV-IIb and EFVS-IIb shown with Euro Speaker Foundations<sup>™</sup> model EF24b

MODEL EFAV-IIb	<b>DESCRIPTION</b> Video Base & Shelf; available in black-on-black and black with silver		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 40.5" x 19.5" x 13.75" 103 x 49.5 x 35 cm	<b>TOP SHELF CAPACITY</b> 275 lbs. 124.75 kg	
	WIDTH BETWEEN PILLARS 18" 45.75 cm	Use with caster kit model EFAB(CK) for added mobility	
MODEL EFVS-IIb	<b>DESCRIPTION</b> Video Expansion Shelf; available in black-o	n-black and black with silver	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 40.5" x 19.75" x 8.5" 103 x 50.25 x 21.5 cm	<b>TOP SHELF CAPACITY</b> 275 lbs. 124.75 kg	
	WIDTH BETWEEN PILLARS 18" 45.75 cm		
MODEL EFAB-IIb	<b>DESCRIPTION</b> Audio Base; available in black-on-black and black with silver		
	PRODUCT DIMENSIONS (w x d x h) 22.5" x 19.5" x 5" 57.25 x 49.5 x 12.75 cm	<b>TOP SHELF CAPACITY</b> 125 lbs. 56.75 kg	
	WIDTH BETWEEN PILLARS 19.5" 49.5 cm	Use with caster kit model EFAB(CK) for added mobility	
MODEL EFAS-IIb	<b>DESCRIPTION</b> Audio Expansion Shelf; available in black-or	n-black and black with silver	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> <b>22.5" x 19.5" x 5"</b> 57.25 x 49.5 x 12.75 cm	<b>TOP SHELF CAPACITY</b> 125 lbs. 56.75 kg	
	WIDTH BETWEEN PILLARS 19.5" 49.5 cm		

### ACCESSORIES

MODEL EFP5b		<b>DESCRIPTION</b> Contains five, 5" reduced height pillars Replaces standard 8" pillars; available in black and silver
MODEL EFP12b		<b>DESCRIPTION</b> Contains five, 12" extended height pillars Replaces standard 8" pillars; available in black and silver
MODEL EFAB(CK)	•	<b>DESCRIPTION</b> Caster kit fits models EFAB and EFAV; adds easy mobility

FINISH OPTIONS Black (b)
--------------------------

# ACCURATE AV FOUNDATIONS



#### Showcase your AV gear with contemporary style

Strong **steel pillars** support sleek black shelves to hold virtually any AV system, including traditional and flat-panel TVs. Our Accurate Series features **easy-to-assemble** stands keep AV components cool and organized with **open architecture** and cable management channels, creating a functional, modern piece that will complement your décor without breaking the bank.



« Easy-to-assemble units can be built in minutes



« Heavy-gauge tubular steel pillars provide incredible strength and rigidity

MODEL AFV48b		DESCRIPTION Three-Shelf Widescreen TV/AV Stand	
4		<b>PRODUCT DIMENSIONS (w x d x h)</b> 48" x 18.5" x 23.5" 122 x 47 x 59.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 48" x 18.5" / 200 lbs. 122 x 47 cm / 90.75 kg
4		<b>MID SHELF SIZE/CAPACITY</b> 46" x 17.5" / 200 lbs. 116.25 x 44.5 cm / 90.75 kg	<b>BOTTOM SHELF SIZE/CAPACITY</b> <b>46" x 17.5" / 200 lbs.</b> 116.25 x 44.5 cm / 90.75 kg
MODEL AFAb		DESCRIPTION Four-Shelf TV/AV Stand	
		<b>PRODUCT DIMENSIONS (w x d x h)</b> 25.5" x 19.5" x 33" 64.75 x 49.5 x 83.75 cm	<b>TOP SHELF SIZE/CAPACITY</b> 25.5" x 20" / 100 lbs. 64.75 x 50.75 cm / 45.25 kg

FINISH OPTION Black (b)		
-------------------------	--	--

## TELEVISION ACCESSORIES

MODEL TVSb	<b>DESCRIPTION</b> Top Shelf fits most TVs; holds speaker, r	<b>DESCRIPTION</b> Top Shelf fits most TVs; holds speaker, receiver, DVD player, etc.		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 19" x 16" x .75" 48.25 x 40.5 x 2 cm	<b>TOP SHELF SIZE/CAPACITY</b> <b>19" x 16" / 15 lbs.</b> 48.25 x 40.5 cm / 7 kg		
MODEL TV20b	<b>DESCRIPTION</b> Turntable for 17"–21" TVs; add TV-VCR	kit for additional storage		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 20" x 14.5" x 1" 50.8 x 36.8 x 2.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 20" x 14.5" / 150 lbs. 50.8 x 36.8 cm / 68 kg		
MODEL TV27b	<b>DESCRIPTION</b> Turntable for 20" – 27" TVs; add TV-VCR	kit for additional storage		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 26" x 15.5" x 1" 66 x 39.4 x 2.5 cm	<b>TOP SHELF SIZE/CAPACITY</b> 26" x 15.5" / 150 lbs. 66 x 39.4 cm / 68 kg		
MODEL TV32b	<b>DESCRIPTION</b> Turntable for 27" – 32" TVs; add TV-VCR	<b>DESCRIPTION</b> Turntable for 27"–32" TVs; add TV-VCR kit for additional storage		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 31.5" x 19.75" x 1.25" 80 x 50 x 3.2 cm	<b>TOP SHELF SIZE/CAPACITY</b> 31.5" x 19.75" / 250 lbs. 80 x 50 cm / 113.4 kg		
MODEL TV-VCRb	<b>DESCRIPTION</b> VCR Kit mounts under TV20, TV27 or TV	<b>DESCRIPTION</b> VCR Kit mounts under TV20, TV27 or TV32 for DVD player or VCR		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 20" x 15.5" x 5.75" 50.8 x 39.4 x 14.6 cm	<b>TOP SHELF SIZE/CAPACITY</b> 20" x 15.5" / 10 lbs. 50.8 x 39.4 cm / 4.5 kg		
MODEL TV-LCDb	<b>DESCRIPTION</b> Turntable for LCD TV			
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 20" x 14" x 1.25" 50.8 x 35.5 x 3.2 cm	<b>TOP SHELF SIZE/CAPACITY</b> 20" x 14" / 150 lbs. 50.8 x 35.5 cm / 68 kg		

AV FOUNDATIONS\*

Black (b)

**FINISH OPTIONS** 

## SPEAKER FOUNDATIONS

### FEATURES AND BENEFITS . INNOVATIVE TECHNOLOGY



### PROPER SPEAKER PLACEMENT

FOR 5.1 SURROUND SOUND HOME THEATERS



Mounting and positioning the speakers correctly can be more important to sound quality than choosing components. For optimal sound, the tweeter should be at ear level. For most installations, the correct height is around 40 inches (give or take 5 inches). Key factors that affect this are the height of the listener and the height of the listener's chair.

#### FRONT AND CENTER SPEAKERS

Place as close as possible to the same height, at or near ear level

#### **SURROUND SPEAKERS**

Place slightly behind and above ear level and facing horizontally (not down at the listener)

Source: www.dolby.com

## ULTIMATE SPEAKER FOUNDATIONS



UF34 | CFV47-EB | CFA56-EB

#### The ultimate acoustics for a true audiophile experience

When the Sanus engineers and Cramer Studio set out to create Ultimate Foundations<sup>™</sup>, they left no stone unturned in their quest for acoustic perfection. They started with a base constructed of an **energy-absorbing material** created with components of minerals, resin and glass. Next, they created a support of not one, not two, but three large-diameter **heavy-gauge steel pillars** designed to be filled with sand or shot. This creates a speaker stand weighing more than 80 pounds. And they finished this masterpiece with an ultra-heavy-gauge steel top plate complete with **brass isolation studs**. The result truly is acoustic perfection.



« Brass speaker isolation studs provide a stable non-slip surface

« Wide triangular Nustone base with spikes and rubber pads or carpet spikes provides superior stability on any surface



« Steel pillars can be filled with shot or sand for added stability

« Integrated Poron<sup>®</sup> rings isolate speaker stand from vibrations in the floor



« Cork resonance damping rings reduce vibration for the clearest sound



« Spackled gray finish complements any décor



MODEL UF22	<b>DESCRIPTION</b> 22" tall with 8" x 8.5" top plate for medium-to-large bookshelf speakers; sold in pairs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 13" x 13.25" x 22" 33 x 33.5 x 56 cm	<b>BASE PLATE</b> 13" x 13.25" 33 x 33.5 cm	INCLUDES Carpet spikes Rubber feet Top plates
	<b>WEIGHT CAPACITY</b> 35 lbs. 16 kg	<b>TOP PLATE</b> 8" x 8.5" 20.3 x 21.6 cm	
<b>MODEL</b> UF26	<b>DESCRIPTION</b> 26" tall with 6" x 6.5" top plate for m	edium-to-large bookshelf sp	peakers; sold in pairs
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 13" x 13.25" x 26" 33 x 33.5 x 66 cm	<b>BASE PLATE</b> 13" x 13.25" 33 x 33.5 cm	<b>INCLUDES</b> Carpet spikes Rubber feet Top plates
	<b>WEIGHT CAPACITY</b> <b>35 lbs</b> . 16 kg	<b>TOP PLATE</b> 6" x 6.5" 15.25 x 16.5 cm	
MODEL UF30	<b>DESCRIPTION</b> 30" tall with 6" x 6.5" top plate for medium bookshelf speakers; sold in pairs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 13" x 13.25" x 30" 33 x 33.5 x 76.25 cm	<b>BASE PLATE</b> 13" x 13.25" 33 x 33.5 cm	INCLUDES Carpet spikes Rubber feet Top plates
	<b>WEIGHT CAPACITY</b> 25 lbs. 11.3 kg	<b>TOP PLATE</b> <b>6" x 6.5"</b> 15.25 x 16.5 cm	
MODEL UF34	<b>DESCRIPTION</b> 34" tall with 6" x 6.5" top plate for medium bookshelf speakers; sold in pairs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 13" x 13.25" x 34" 33 x 33.5 x 86.4 cm	<b>BASE PLATE</b> 13" x 13.25" 33 x 33.5 cm	<b>INCLUDES</b> Carpet spikes Rubber feet Top plates
	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> 6" x 6.5" 15.25 x 16.5 cm	
т			· · · · · · · · · · · · · · · · · · ·



### STEEL SPEAKER FOUNDATIONS

#### The perfect home theater solution

Resonance damping rings and adjustable isolation studs provide superior acoustic isolation. Custom-designed top plate provides safe and secure bolt-mounting option for many of today's speakers. The heavy-gauge tubular steel pillars can be filled with sand or shot for increased mass. A wire management system keeps speaker cables neatly organized. And the heavy 10-gauge steel base was designed by Cramer Studio and includes both adjustable spikes and rubber feet.



« Heavy-gauge steel construction provides extreme rigidity and stability

 Center-channel stand tilts speaker to focus sound using adjustable studs or neoprene speaker pads



 « Large heavyweight base provides superior stability on any surface

« Cork resonance damping rings isolate vibrations to help provide superior acoustics

### FINISH OPTIONS





### FOR BOOKSHELF SPEAKERS

MODEL SF22b	<b>DESCRIPTION</b> 22" tall with 8" x 8.5" top plate for medium-to-large bookshelf speakers; sold in pairs		
T	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.75" x 14.75" x 22" 29.8 x 37.5 x 56 cm	<b>BASE PLATE</b> 11.75" x 14.75" 29.8 x 37.5 cm	INCLUDES Adjustable carpet spikes Rubber feet
-	WEIGHT CAPACITY 35 lbs. 15.9 kg	<b>TOP PLATE</b> <b>8" x 8.5"</b> 20.3 x 21.6 cm	Top plates
MODEL SF26b	<b>DESCRIPTION</b> 26" tall with 6" x 6.5" top plate for m	edium-to-large bookshelf speake	rs; sold in pairs
T	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.75" x 14.75" x 26" 29.8 x 37.5 x 66 cm	<b>BASE PLATE</b> 11. <b>75" x 14.75"</b> 29.8 x 37.5 cm	INCLUDES Adjustable carpet spikes Rubber feet
-	<b>WEIGHT CAPACITY</b> 35 lbs. 15.9 kg	<b>TOP PLATE</b> <b>6" x 6.5"</b> 15.2 x 16.5 cm	Top plates
MODEL SF30b	<b>DESCRIPTION</b> 30" tall with 6" x 6.5" top plate for small-to-medium bookshelf speakers; sold in pairs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.75" x 14.75" x 30" 29.8 x 37.5 x 76.2 cm	<b>BASE PLATE</b> 11.75" x 14.75" 29.8 x 37.5 cm	INCLUDES Adjustable carpet spikes Rubber feet
-	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> <b>6" x 6.5"</b> 15.2 x 16.5 cm	Top plates
MODEL SF34b	<b>DESCRIPTION</b> 34" tall with 6" x 6.5" top plate for sn	nall-to-medium bookshelf speake	ers; sold in pairs
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.75" x 14.75" x 34" 29.8 x 37.5 x 86.4 cm	<b>BASE PLATE</b> 11.75" x 14.75" 29.8 x 37.5 cm	INCLUDES Adjustable carpet spikes Rubber feet Top plates

### FOR CENTER CHANNEL SPEAKERS

MODEL SFC18b

	<b>DESCRIPTION</b> 18" tall with 14" x 8" top plate f		
T	<b>PRODUCT DIMENSIONS</b> 14.75" x 11.75" x 18" 37.5 x 29.8 x 45.7 cm	<b>BASE PLATE</b> 14.75" x 11.75" 37.5 x 29.8 cm	INCLUDES Adjustable carpet spikes Rubber feet
	WEIGHT CAPACITY 35 lbs. 15.9 kg	<b>TOP PLATE</b> 14" x 8" 35.6 x 20.3 cm	Top plate



## NATURAL SPEAKER FOUNDATIONS



#### High-performance stands support speakers with the beauty of real hardwood construction

The softly contoured, hand-rubbed, black lacquer base is constructed of acoustically superior MDF and comes with both premium adjustable carpet spikes and polyester feet. The extra-thick pillar is constructed of solid hardwood for the perfect combination of beauty and quality. A patented wire management channel safely hides speaker wires behind the pillar. And the strong MDF top plate comes with brass speaker studs and neoprene isolation pads.



« Center-channel stand tilts speaker to focus sound using adjustable studs or neoprene speaker pads

« The extra-thick, solid hardwood pillar features a modern


design that is both elegant and acoustically superior



« Adjustable carpet spikes or screw-in polyester feet add stability on any surface



 Patented wire management path easily organizes and conceals even the largest wires



### FOR BOOKSHELF SPEAKERS

MODELS NF18b	<b>DESCRIPTION</b> 18" tall with 7.5" x 7.5" top plate for medium-to-large bookshelf speakers; sold in pairs		
NF18c NF18-M01	PRODUCT DIMENSIONS (w x d x h) 10.5" x 11.75" x 18" 26.7 x 30 x 45.7 cm	<b>BASE PLATE</b> 10.5" x 11.75" 26.7 x 30 cm	INCLUDES Adjustable carpet spikes Plastic isolation feet
	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> 7.5" x 7.5" 19 x 19 cm	Top plates
MODELS NF24b	<b>DESCRIPTION</b> 24" tall with 7.5" x 7.5" top plate for	medium bookshelf speakers;	sold in pairs
NF24-M01	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 11.75" x 24" 26.7 x 30 x 61 cm	<b>BASE PLATE</b> 10.5" x 11.75" 26.7 x 30 cm	INCLUDES Adjustable carpet spikes Plastic isolation feet
	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> 7.5" x 7.5" 19 x 19 cm	Top plates
MODELS NF30b	<b>DESCRIPTION</b> 30" tall with 6" x 6" top plate for sma	II bookshelf speakers; sold ir	n pairs
NF30c NF30-M01	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 11.75" x 30" 26.7 x 30 x 76.2 cm	<b>BASE PLATE</b> 10.5" x 11.75" 26.7 x 30 cm	INCLUDES Adjustable carpet spikes Plastic isolation feet
	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> 6" x 6" 15.2 x 15.2 cm	Top plates
MODELS NF36b NF36c NF36-M01	DESCRIPTION 36" tall with 6" x 6" top plate for small bookshelf speakers; sold in pairs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 11.75" x 36" 26.7 x 30 x 91.4 cm	<b>BASE PLATE</b> 10.5" x 11.75" 26.7 x 30 cm	INCLUDES Adjustable carpet spikes Plastic isolation feet
	WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> <b>6" x 6"</b> 15.2 x 15.2 cm	Top plates

### FOR CENTER-CHANNEL SPEAKERS



DESCRIPTION 18" tall with 14" x 8" top plate for center-channel speakers				
<b>PRODUCT DIMENSIONS</b> 18" x 11.75" x 18" 45.7 x 30 x 45.7 cm	<b>BASE PLATE</b> 18" x 11.75" 45.7 x 30 cm	INCLUDES Adjustable carpet spikes Plastic isolation feet		
WEIGHT CAPACITY 25 lbs. 11.3 kg	<b>TOP PLATE</b> 14" x 8" 35.6 x 20.3 cm	Top plates with adjustable studs		

FINISH OPTIONS	Black (b)	Cherry (c)	Mocha (MO)
----------------	-----------	------------	------------

## EURO SPEAKER FOUNDATIONS



#### Elevating European design to a new height of performance

A sleek, contemporary look complements today's loudspeakers and provides the quiet, rigid performance demanded by audiophiles and home theater enthusiasts. The **cast iron base** is engineered for solid support and superior performance. Both premium **adjustable floor spikes** and custom screw-in rubber feet are included to provide stability and minimize resonance on any floor surface. And the steel top plate features **custom speaker isolation pads**.



« Wire management path conceals and protects wires for a clean look



 Includes adjustable carpet spikes and rubber pads to isolate vibration



« EFSat includes multiple top plates to fit most small speakers

« Neoprene speaker pads increase sound quality with acoustic isolation



### FOR HOME THEATER SPEAKERS



### FOR MEDIUM AND LARGE SPEAKERS

MODEL EF20b	<b>DESCRIPTION</b> 20" tall with 6" x 6.5" top plate for small-to-medium bookshelf speakers; sold in pairs					
T	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 12" x 20" 26.7 x 30.5 x 50.8 cm	<b>BASE PLATE</b> 10.5" x 12" 26.7 x 30.5 cm	INCLUDES Large top plates Rubber pad feet Adjustable carpet spikes			
	<b>WEIGHT CAPACITY</b> 20 lbs. 9 kg	<b>TOP PLATE</b> 6" x 6.5" 15.2 x 16.5 cm				
MODEL EF24b	<b>DESCRIPTION</b> 24" tall with 6" x 6.5" top plate for	small-to-medium bookshelf speakers; sold in pair	S			
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 12" x 24" 26.7 x 30.5 x 61 cm	<b>BASE PLATE</b> 10.5" x 12" 26.7 x 30.5 cm	<b>INCLUDES</b> Large top plates Rubber pad feet Adjustable carpet spikes			
	<b>WEIGHT CAPACITY</b> 20 lbs. 9 kg	<b>TOP PLATE</b> <b>6" x 6.5"</b> 15.2 x 16.5 cm				
MODEL EF28b	<b>DESCRIPTION</b> 28" tall with 5" x 5.5" top plate for	small-to-medium bookshelf speakers; sold in pair	s			
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 10.5" x 12" x 28" 26.7 x 30.5 x 71.1 cm	<b>BASE PLATE</b> 10.5" x 12" 26.7 x 30.5 cm	<b>INCLUDES</b> Large top plates Rubber pad feet Adjustable carpet spikes			
	<b>WEIGHT CAPACITY</b> 20 lbs. 9 kg	<b>TOP PLATE</b> 5" x 5" and 5" x 6.5" 12.7 x 12.7 cm and 15.2 x 16.5 cm				



Model BF24b shown with Platinum AV Foundations<sup>™</sup> model PFV48-B1

Bujus .....

## BASIC SPEAKER FOUNDATIONS

Simple yet elegant, these speaker stands raise any speaker to the proper listening height Basic Foundations<sup>™</sup> may be affordable, but they're certainly not cheap. The construction begins with energy-absorbing MDF, not particle board. Add to that features like ABS plastic spikes, a concealed wire path and neoprene speaker isolation pads, and you've got sound Foundations for your speakers. BF24b | PFV47b « Three height options allow speakers to be « Sturdy ABS plastic push-in spikes provide perfectly placed for a custom audio experience a solid foundation on most any surface « Neoprene speaker isolation pads « Patented concealed wire path hides provide a soft, non-slip surface even the largest wires from view « Easy assembly can be completed in « Energy-absorbing MDF construction increases sound quality by providing acoustic isolation minutes with just a Phillips screwdriver MODEL DESCRIPTION BF16b 16" tall with 7" x 7" top plate for medium-to-large bookshelf speakers; sold in pairs PRODUCT DIMENSIONS (w x d x h) **BASE PLATE** INCLUDES 12.5" x 11" Spikes 12.5" x 11" x 16" 31.75 x 28 x 40.6 cm 31.75 x 28 cm Isolation pads Top plates WEIGHT CAPACITY **TOP PLATE** 25 lbs. 7" x 7" 17.8 x 17.8 cm 11.3 kg MODEL DESCRIPTION BF24b 24" tall with 6.5" x 6.5" top plate for medium bookshelf speakers; sold in pairs PRODUCT DIMENSIONS (w x d x h) **BASE PLATE** INCLUDES 12.5" x 11" x 24" 12.5" x 11" Spikes

 PRODUCT DIMENSIONS (w x d x h)
 BASE PLATE
 INCLUDES

 12.5" x 11" x 24"
 12.5" x 11"
 Spikes

 31.75 x 28 x 70 cm
 31.75 x 28 cm
 Isolation pads

 WEIGHT CAPACITY

 20 lbs.
 6.5" x 6.5"

 9.1 kg
 16.5 x 16.5 cm

MODEL	DESCRIPTION			
BF31b	31" tall with 5" x 5" top plate for small bookshelf speakers; sold in pairs			
	<b>PRODUCT DIMENSIONS (w x d x h)</b>	<b>BASE PLATE</b>	INCLUDES	
	12.5" x 11" x 31"	12.5" x 11"	Spikes	
	31.75 x 28 x 78.7 cm	31.75 x 28 cm	Isolation pads	
	<b>WEIGHT CAPACITY</b> 20 lbs. 9.1 kg	<b>TOP PLATE</b> 5" x 5" 12.7 x 12.7 cm	Top plates	

FINISH OPTION

Black (b)

## HTB SPEAKER FOUNDATIONS



#### Designed for today's home theater surround systems

Sanus' HTB Speaker Foundations<sup>™</sup> line blends seamlessly into any home theater setting. Combining the **modern look** of contoured glass or steel with a sleek black or silver finish, these stands will support today's satellite speakers will style. And with features like **concealed wire paths**, **adjustable height** and **two foot options**, audio enthusiasts can display and position their systems perfectly for the optimum listening experience.



« Includes brackets and top plates to fit most small speakers



« Concealed wire path hides wires from view for a clean and organized appearance



« Adjustable height allows speakers to

be placed at optimum listening level



« Three different design options are available to suit any satellite speaker and home décor need



« QuickMount™ adapter for speakers with keyholes on back



« Easy assembly can be completed in minutes with just a Phillips screwdriver

MODEL	DESCRIPTION			
HTB3b	Adjustable height with multiple top plates; sold in pairs			
	<b>PRODUCT DIMENSIONS</b>	<b>BASE PLATE</b>	INCLUDES	
	6.5" x 11.75" x 26"–39"	6.5" x 11.75"	Telescoping pillars	
	16.5 x 29.8 x 66–99 cm	16.5 x 29.8 cm	Flat-speaker mounts	
WEIGHT C		Flat speaker mount 2" x 2" 5.1 x 5.1 cm	L-shaped speaker mounts	
4 lbs.		L-shaped speaker mount 1.125" x 1.25" x 2" 2.9 x 3.2 x 5 cm	Dual-bolt speaker mount adapters	
1.8 kg		Dual-bolt speaker mount adapter 3.6" x 1" 9.2 x 2.5 cm	QuickMount <sup>™</sup> keyhole adapters	

MODELS HTB4b HTB4	<b>DESCRIPTION</b> Adjustable height with multiple top plates; sold in pairs				
11104	<b>PRODUCT DIMENSIONS</b>	<b>BASE PLATE</b>	INCLUDES		
	14.5" x 11" x 28"–38"	14.5" x 11"	Telescoping pillars		
	36.8 x 27.9 x 71–96.5 cm	36.8 x 27.9 cm	Flat-speaker mounts		
	WEIGHT CAPACITY	Flat speaker mount 2" x 2" 5.1 x 5.1 cm	L-shaped speaker mounts		
	3.5 lbs.	L-shaped speaker mount 1.125" x 1.25" x 2" 2.9 x 3.2 x 5 cm	Dual-bolt speaker mount adapters		
	1.6 kg	Dual-bolt speaker mount adapter 3.6" x 1" 9.2 x 2.5 cm	QuickMount <sup>™</sup> keyhole adapters		

MODEL HTB7-B1 HTB7	<b>DESCRIPTION</b> Adjustable height with m	ultiple top plates; sold in pairs	
	<b>PRODUCT DIMENSIONS</b> 7.75" x 10" x 28"–38" 19.75 x 25.5 x 71–96.5 cm	<b>BASE PLATE</b> <b>7.75" x 10"</b> 19.75 x 25.5 cm	INCLUDES Telescoping pillars Flat-speaker mounts
	<b>WEIGHT CAPACITY</b> <b>3.5 lbs.</b> 1.6 kg	Flat speaker mount 2" x 2" 5.1 x 5.1 cm L-shaped speaker mount 1.125" x 1.25" x 2" 2.9 x 3.2 x 5 cm Dual-bolt speaker mount adapter 3.6" x 1" 9.2 x 2.5 cm	L-shaped speaker mounts Dual-bolt speaker mount adapters QuickMount <sup>™</sup> keyhole adapters Klipsch Quintet III speaker brackets







### HOVER SPEAKER FOUNDATIONS

#### The first speaker stand designed to meet Dolby Laboratories' specifications

The proper positioning of home theater satellite speakers is not as obvious as it seems. While many people enjoy sound reproduced from speakers at ear level, the correct positioning, according to Dolby Laboratories, is actually several feet above ear level. Enter Hover Foundations<sup>™</sup>. These heavy-duty cast iron and steel speaker stands are the first ever that meet the placement guidelines of Dolby Laboratories. And they do so with rugged construction designed to hold speakers up to 10 lbs. and include features such as adjustable height and a concealed wire management path. Plus, Hover Foundations™ include both straight and angled pillars for Dolby surround or direct listening. Get ready to hear what Dolby Digital REALLY sounds like.



HF1b | SFA29b



« Durable powder-coated black or silver finish provides a modern look




« Easy assembly can be completed in minutes with just a Phillips screwdriver

MODEL	DESCRIPTION			
HF1b	Adjustable Height Satellite Speaker Stand for rear surround speakers; sold in pairs			
	PRODUCT DIMENSIONS           9" x 15" x 36"–58" (straight)           23 x 38 x 91.4–150 cm           9" x 15" x 41"–58" (angled)           23 x 38 x 104.1–150 cm           WEIGHT CAPACITY           10 lbs           4.5 kg	BASE PLATE 9" x 15" 23 x 38 cm Small speaker mount 2.5" x 3.25" 6.25 x 8.3 cm Medium speaker mount 5" x 5" 12.7 x 12.7 cm L-shaped speaker mount 1.5" x 4" x 4.5" 3.8 x 10 x 11.4 cm Klipsch Quintet speaker mount 1.5" x 3.25" 3.8 x 8.3 cm Klipsch RS speaker mount 2" x 4" 5.1 x 10 cm Threaded rod speaker mount 1.5" h 3.8 cm	INCLUDES Straight telescoping pillars Angled telescoping pillars Small speaker mounts Medium speaker mounts L-shaped speaker mounts Klipsch Quintet speaker mounts Klipsch RS speaker mounts Threaded rod speaker mounts Rubber pad feet Adjustable carpet spike feet	

FINISH OPTIONS Black (b)
-----------------------------

ິ







AV MOUNTS

## **VISIONMOUNT®**

### FEATURES AND BENEFITS . INNOVATIVE TECHNOLOGY



« **ProSet**<sup>™</sup>— Height and level adjustments ensure TV is perfectly positioned, even after installation



« FollowThru™ — An in-arm cable management channel that protects and conceals cables—even through the elbow—for a truly flawless look



« Virtual Axis<sup>™</sup> 3D — Available with MF202, MF203, MF209, MF215, MD103, MD115 and MC1A, this patented technology allows the mount and TV to move easily in every direction possible with totally fluid motion

« ClickStand<sup>™</sup>— Holds TV away from wall

for easy cable maintenance, then clicks

securely back onto wall plate



« **Universal by Design** — Mounting brackets featured on many mounts are designed with multiple holes to fit virtually any LCD or plasma TV



« Cable Management — Wires and cables are easily routed, keeping them concealed and organized



« Tool-free Adjustments — Available on tilting and full-motion mounts to enable your TV to tilt and swivel easily while maintaining the perfect viewing angle, all without the use of tools



« Virtual Axis<sup>™</sup> — A patented technology that allows smooth, effortless tilting motion. And because it balances the TV's weight on itself, you can move it with the gentle touch of a finger



« Corner Mounting — Select mounts can be positioned in a corner to save space, offering a large range of motion for easy viewing from anywhere in a room



« Lateral Shift — Allows horizontal movement of mounting brackets on wall plate for perfect TV placement, even with off-center studs



« UL Listing — A nationally recognized safety standard listing granted to all Sanus mounts after rigorous weight capacity and angle hanging tests by Underwriters Laboratories Inc.®



- « Easy Installation Complete in just minutes
- 1. Attach plate to wall
- 2. Attach brackets to TV 3. Hang TV on wall plate





# CHOOSING THE RIGHT MOUNT



#### **FULL MOTION**

Extend, retract, tilt and swivel your TV for perfect viewing from anywhere in the room. Great for corner placement — saves space while still offering a large range of motion. Reposition as often as desired with smooth, effortless motion.



#### TILTING

Tilt up and down for better viewing from the sofa, bed or even the floor. Also useful for eliminating glare.



**LOW PROFILE** Mount flush to the wall to maximize the sleek, thin look of the TV.



SMALL Generally used with LCD TVs up to 27". Most small Sanus mounts support up to 30 lbs. and fit TVs with VESA-standard mounting holes on back spaced (mm) 100 x100 or 75 x75.





MEDIUM Generally used with LCD TVs 23" to 42". Most medium Sanus mounts support up to 80 lbs. and fit TVs with VESAstandard mounting holes on back spaced (mm) 200 x 200, 200 x 100 or 100 x 100.



LARGE Generally used with PLASMA, LCD and LED TVs up to 56". Most large Sanus mounts support up to 130 lbs. and fit random hole patterns on back of TV.



EXTRA LARGE Generally for PLASMA, LCD and LED TVs 42" and up. Most extra-large Sanus mounts support up to 175 lbs. and fit random hole patterns on back of TV.



\*Some Sanus mounts vary from details above. Also, each TV has unique characteristics. Visit **www.sanus.com** and click on MOUNTFINDER™ to choose a brand and model of TV to verify compatible Sanus mounts.

#### ALSO AVAILABLE: SPECIALTY MOUNTS



#### « MOTORIZED MOUNT

Fully motorized tilt, swivel and extend movements at the touch of a button for perfect viewing angles anywhere in a room—universal remote control included.



#### « PULL-OUT CABINET MOUNT

Extend and retract TV from cabinets and armoires for better viewing. Can be used with a variety of low-profile or tilting mounts.

#### « CEILING MOUNTS

Tilt and swivel TV in all directions for easy viewing from anywhere in the room. Great as a space saver or when wall mounting is not an option.



#### « DESK MOUNTS

A great space saver that offers increased freedom of movement. Attach without tools to desks up to 2.7" thick to cleverly hide hardware.

#### « UNDER-CABINET MOUNT

Under-cabinet mounts tilt and swivel in all directions for multiple viewing angles and conveniently tuck under a cabinet when not in use.

#### « RECESSED IN-WALL BOX

Allows a flat-panel TV to rest flush against the wall, hiding a full-motion mount. TV can be pulled out and pushed back for viewing flexibility and easy access to cables.



## VISIONMOUNT® MOTORIZED MOUNTS

#### Change the position of your TV without leaving your seat

Motorized mounts offer **fully automated movement by remote control**, making it easy to find and keep the perfect viewing angles without leaving your seat. TVs can automatically move to a pre-set position when the mount is turned on, or be positioned by remote control as desired. Perfect for placement above a fireplace and for reducing glare and light reflections. Recommended as a **"no-touch" solution** when flexibility in viewing angles and positions is desired.





« Full-motion mount featuring motorized tilt, swivel and extension motions



 Perfect for placement above a fireplace — automatically returns to home position when turned off to protect TV from heat damage



 Safety sensor will stop movement instantly if object interference is detected



« Motorized swivel motion makes it easy to


« Flexible decorative cover creates a clean and finished



« Open wall-plate design allows flexibility for cable management

view the TV from anywhere in a room

look while concealing cables



6 N

## VISIONMOUNT<sup>®</sup> EXTRA-LARGE MOUNTS



« FollowThru<sup>™</sup> in-arm cable management channel protects and conceals cables—even through the elbow—for a truly flawless look



« VMPL3 features an expandable wall plate and includes both tilting and low-profile brackets



« Lateral shift allows perfect TV placement, even with off-center studs



« ProSet<sup>™</sup> post-installation height and level adjustments ensure TV is perfectly positioned after mounting



« Full-motion and tilting mounts feature Virtual Axis<sup>™</sup> technology for balanced tilting with the touch of a fingertip



 Lightweight XF228 extruded aluminum wall plate features an open design to make installation and cable management a breeze

MODEL XF228-B1	<b>DESCRIPTION</b> Full-motion Wall Mount for extra-larg Allows ±5° roll control to ensure TV i			CULUSTED US
I I HER	<b>PRODUCT DIMENSIONS (w x d x h)</b> 34" x 3.25"–28" x 23" 86.4 x 8.3–71.1 x 58.4 cm	WEIGHT CAPACITY 200 lbs. 90.7 kg	<b>TV SIZE</b> 42" - 63"	-15° +5° ±5° 1
	MOUNTING PATTERN UNIVERSAL			3.25"–28" 8.3-71.1 cm
MODELS VMDD26b-01 VMDD26s-01	DESCRIPTION Full-motion Wall Mount for extra-larg Allows ±6° roll control to ensure TV i			CULISTED US
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 36" x 3.25"–25.75" x 24" 91.4 x 8.3–65.4 x 61 cm	WEIGHT CAPACITY 175 lbs. 79.4 kg	<b>TV SIZE</b> 42" - 63"	-15° +5° ±6° () () ()
	MOUNTING PATTERN UNIVERSAL	FEATURE Use with VMCC1s & XA to attach center-chann		325"-25.75" 8.3-65.4 cm
MODELS VMPL3b VMPL3s	<b>DESCRIPTION</b> Expandable Wall Mount for medium Includes both tilting and low-profile b			CULISTED US
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 27–42.25" x 2.5" x 17"–27.5" 68.5–107.25 x 6.4 x 43.2–69.75 cm	WEIGHT CAPACITY 280 lbs. 127 kg	<b>TV SIZE</b> 27" – 84"	1.5" 3.8 cm -12°
	MOUNTING PATTERN UNIVERSAL	FEATURE Arm can be padlocked security (low-profile b		2.5" 6.4 cm

FINISH OPTIONS	Black (b)	Silver (s)
	Diack (b)	Silver (5)



## VISIONMOUNT® LARGE MOUNTS



### « ProSet<sup>™</sup> height and level adjustments ensure TV is perfectly positioned, even after installation



« FollowThru<sup>™</sup> in-arm cable management channel protects and conceals cables—even through the elbow—for a truly flawless look



« Super Slim low-profile mount places TVs just .55" from wall — less than the width of a die



« All models offer lateral shift to allow perfect TV placement even with off-center studs



« ClickStand<sup>™</sup> feature holds TV away from wall for easy cable installation, then clicks securely back onto wall plate



« ClickFit<sup>™</sup> system allows power conditioners and other small devices to be positioned directly behind TV and easily clicked onto mount, so they stay hidden yet easily accessible



« Universal mounting brackets fit virtually any LCD, LED and plasma TV from 30" to 60"



« Full-motion and tilting mounts feature the Virtual Axis<sup>™</sup> mechanism for balanced tilting with the touch of a fingertip



MODELS LT25-B1 LT25-S1	DESCRIPTION Tilting Wall Mount for large flat-panel TVs			CULUS LISTED
	<b>PRODUCT DIMENSIONS (w x d x h)</b> <b>30" x 3" x 18.25"</b> 76.2 x 7.6 x 46.4 cm	<b>WEIGHT CAPACITY</b> 175 lbs. 79.4 kg	<b>TV SIZE</b> 30" – 60"	-10° +8°
	MOUNTING PATTERN UNIVERSAL	FEATURE Use with VMA201 (pg. 8 soundbar speaker	(8)	3" 7.6 cm
MODELS VMPL50b VMPL50s	<b>DESCRIPTION</b> Tilting Wall Mount for large flat-pane	I TVs		CUD us
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 29" x 2.5" x 18.5" 73.7 x 6.4 x 47 cm	<b>WEIGHT CAPACITY</b> 130 lbs. 59 kg	<b>TV SIZE</b> 30" – 56"	-12°
	Mounting Pattern UNIVERSAL			2.5" 6.4 cm
MODELS LL11-B1 LL11-S1	<b>DESCRIPTION</b> Super Slim Low-Profile Mount for la	rge flat-panel TVs		CUDUS
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 35.3" x .55" x 22.5" 89.7 x 1.4 x 57.2 cm	<b>WEIGHT CAPACITY</b> 1 <b>50 lbs</b> . 68 kg	<b>TV SIZE</b> 37" – 65"	.55" 1.4 cm
No. In the second se	Mounting Pattern UNIVERSAL			
MODELS LL22-B1 LL22-S1	DESCRIPTION Low-profile Wall Mount for large flat-panel TVs		CUDUS	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> <b>30" x 1.5" x 18.25"</b> 76.2 x 3.8 x 46.4 cm	<b>WEIGHT CAPACITY</b> 1 <b>75 lbs</b> . 79.4 kg	<b>TV SIZE</b> 30" - 60"	-2°
	MOUNTING PATTERN UNIVERSAL	FEATURE Use with VMA201 (pg. 8 soundbar speaker	(8)	1.5' 3.8 cm
MODELS VMPL250b VMPL250s	<b>DESCRIPTION</b> Low-profile Wall Mount for large flat	-panel TVs		CUDUS
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 29" x 1.25" x 18.5" 73.7 x 3.2 x 47 cm	<b>WEIGHT CAPACITY</b> 130 lbs. 59 kg	<b>TV SIZE</b> 30" – 56"	1.25" 3.2 cm
	Mounting Pattern Universal	FEATURE Arms can be padlocked for enhanced security	d 🔊	
FINISH OPTIONS	6	Black (B)		Silver (S)

## VISIONMOUNT® MEDIUM MOUNTS



« Full-motion and tilting mounts feature Virtual Axis<sup>™</sup> technology for balanced tilting with the touch of a fingertip



« Super Slim ML11 low-profile mount places TVs just .55" from wall — less than the width of a die



« Mounting brackets fit multiple VESA patterns to accommodate virtually every flat-panel TV from 15" to 42"



« ML11 features innovative ClickStand<sup>™</sup> to hold TV away from wall for easy cable access without having to remove TV



« Quick-release tabs on ML11 mounting brackets stay hidden, but pull down to unlock TV from wall plate for cable access



« VM400 has an aluminum hinged arm for maximum range of motion with rigid strength



MODELS VM400b VM400s	DESCRIPTION Full-motion Wall Mount for medium LC Allows ±6° lateral roll to ensure TV is p		CORNER	
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 15" x 3.5"–20" x 12.75" 38.1 x 8.9–50.8 x 32.4 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 26" – 42"	-15° +5° ±6°
	MOUNTING PATTERN VESA 100, 200 x 100, 200 x 200 300 x 200, 300 x 300, 400 x 300	FEATURE Arm can be padlocked for enhanced security	$\sim$	180° 3.5"-20" 9-50.8 cm
MODELS MF110-B1 MF110-S1	<b>DESCRIPTION</b> Full-motion Wall Mount for medium LC Allows ±6° lateral roll to ensure TV is			CULISTED US
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 13.25" x 2.5"–9.5" x 12.5" 33.7 x 6.4–24.1 x 31.8 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 15" — 40"	±6°
	<b>MOUNTING PATTERN</b> VESA 100, 200 x 100, 200 x 200 300 x 200, 300 x 300, 400 x 300	FEATURE Arm can be padlocked for enhanced security	$\sim$	180° 2.5'-9.5' 6.4-24.1 cm
MODELS MT25-B1 MT25-S1	<b>DESCRIPTION</b> Tilting Wall Mount for medium LCD TV	Ś		cupus
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 15.5" x 2.375" x 11.25" 39.4 x 6 x 28.6 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 15" — 40"	-15°
	<b>MOUNTING PATTERN</b> UNIVERSAL, including VESA 50, 75, 100, 200 x 200, 400 x 300, 400	FEATURE Arm can be padlocked for enhanced security	$\mathbf{x}$	2.375" 6 cm
MODELS ML11-B1 ML11-S1	DESCRIPTION Super Slim Low-Profile Mount for med	<b>DESCRIPTION</b> Super Slim Low-Profile Mount for medium LCD TVs		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 22.7" x .55" x 17.9" 57.7 x 1.4 x 45.4 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 26" - 46"	.55" 1.4 cm
Nove and the second sec	MOUNTING PATTERN UNIVERSAL, including VESA 100, 200 x 100 200 x 200, 300, 400 x 200, 400 x 400	),		
MODELS ML22-B1 ML22-S1	<b>DESCRIPTION</b> Low-profile Wall Mount for medium LC	CD TVs		cupus
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 15.5" x .9" x 10.75" 39.4 x 2.3 x 27.3 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 15" — 40"	.9" 2.3 cm
	MOUNTING PATTERN UNIVERSAL, including VESA 50, 75, 100, 200, 400 x 300, 400 x 400	FEATURE Arm can be padlocked for enhanced security	<u></u>	

FINISH OPTIONS	Black (B)	Silver (S)
	Brack (B)	011/01/07

VISIONMOUNT® 68

# VISIONMOUNT® MEDIUM MOUNTS



« Virtual Axis<sup>™</sup> 3D patented technology features a cup-shaped design that allows the mount and TV to move easily in every direction possible with totally fluid motion



 Decorative caps hide mounting hardware for a finished appearance

« Includes two VESA-compatible TV brackets:

small TV bracket fits 100 x 100 and 75 x 75



« Built-in cable management system protects and conceals cables



« Keyholes on faceplate slide onto TV for effortless bracket alignment and easy installation; all mounting hardware included



 Adjustment knob enables your TV to tilt and swivel easily without the use of tools, while maintaining tension for the perfect viewing angle

Large TV bracket fits 200 x 200, 200 x 100 and 100 x 100;

MODELS MF215-B1 MF215-S1	DESCRIPTION Full-motion Wall Mount for small and medium LCD TVs			
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.25" x 3.25"–15.5" x 11.75" 28.6 x 8.3–39.4 x 29.8 cm	WEIGHT CAPACITY 60 lbs. 27.2 kg	<b>TV SIZE</b> 15" — 37"	-15°
	Mounting Pattern VESA 75, VESA 100, VESA 200 x 100,	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100, VESA 200 x 200		180° 3.25"-15.5" 8.3-39.4 cm
MODELS MF209-B1 MF209-S1	DESCRIPTION Full-motion Wall Mount for small and medium LCD TVs			cupus
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 11.75" x 3.25"–9.25" x 9.75" 29.8 x 8.3–23.5 x 24.8 cm	WEIGHT CAPACITY 60 lbs. 27.2 kg	<b>TV SIZE</b> 15" – 37"	-15° +15°
	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100, VESA 200 x 200			3.25"–9.5" 180° 8.3–24.1 cm
MODELS MF203-B1 MF203-S1	DESCRIPTION Full-motion Wall Mount for small and medium LCD TVs		C LISTED	
	PRODUCT DIMENSIONS (w x d x h) 9.25" x 3.5" x 9.25" 36.8 x 8.9 x 23.5 cm	WEIGHT CAPACITY 60 lbs. 27.2 kg	<b>TV SIZE</b> 15" — 37"	360° A -15°
	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100, VESA 200 x 200		3.5" 8.9 cm	
MODELS MF202-B1 MF202-S1	DESCRIPTION Full-motion Wall Mount for small and medium LCD TVs Features QuickConnect <sup>™</sup>			CULISTED US
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 9.25" x 2" x 9.25" 23.5 x 5 x 23.5 cm	WEIGHT CAPACITY 60 lbs. 27.2 kg	<b>TV SIZE</b> 15" — 37"	360° () -15° () +15°
	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100,	VESA 200 x 200		2" 5 cm



### VISIONMOUNT<sup>®</sup> SMALL MOUNTS



 $^{\rm w}$  Mounting brackets feature multiple VESA patterns to fit virtually any flat-panel TV from 13" - 30"



« Built-in cable management system conceals and routes cables inside arm



« Decorative caps conceal hardware for a finished appearance



« Tilting mounts feature Virtual Axis™ technology for effortless viewing angle adjustment with the touch of a finger



 Adjustment knob allows TV to move easily while still maintaining tension, so it's easy to find and keep the perfect viewing angle



« Low-profile design places TV nearly flush to the wall for a clean appearance



MODELS SF213-B1 SF213-S1	<b>DESCRIPTION</b> Full-motion Wall Mount for small flat-p	panel TVs	CORNER MOUNTING	CULUSTED US
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 8" x 3"–13" x 9" 20.3 x 7.6–33 x 23 cm	WEIGHT CAPACITY 45 lbs. 20.4 kg	TV SIZE up to 27"	-15° +15° ±1°
Vitu	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100			3"-13" 180° 7.6-33 cm
MODELS SF208-B1 SF208-S1	<b>DESCRIPTION</b> Full-motion Wall Mount for small flat-p	panel TVs		CULUSTED
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 8" x 3"–13" x 9" 20.3 x 7.6–33 x 23 cm	WEIGHT CAPACITY 45 lbs. 20.4 kg	TV SIZE up to 27"	-15° +15° ±1°
194	<b>MOUNTING PATTERN</b> VESA 75, VESA 100, VESA 200 x 100			3"-8" 7.6-20.3 cm
MODELS SF203-B1 SF203-S1	<b>DESCRIPTION</b> Full-motion Wall Mount for small flat-p	panel TVs		CULUSTED
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 4.75" x 3" x 6.75" 12.1 x 7.6 x 17.1 cm	WEIGHT CAPACITY 50 lbs. 22.7 kg	TV SIZE up to 27"	±1°
New Contraction	MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100			3" 7.6 cm
MODELS VMFb VMFs	<b>DESCRIPTION</b> Tilting Wall Mount for small flat-panel	TVs		CULUS LISTED
:: +	PRODUCT DIMENSIONS (w x d x h) 4.5" x 2" x 6" 11.4 x 5.1 x 15.2 cm	<b>WEIGHT CAPACITY</b> 50 lbs. 22.7 kg	<b>TV SIZE</b> 13" — 30"	-15° ()+15°
	MOUNTING PATTERN VESA 75, VESA 100			2" 5 cm
MODELS VMFL1b VMFL1s	<b>DESCRIPTION</b> Low-profile Wall Mount for small LCD	TVs and monitors		CULUS CULUS
• •	<b>PRODUCT DIMENSIONS (w x d x h)</b> <b>4.5" x 0.5" x 4.75"</b> 11.4 x 1.3 x 12.1 cm	<b>WEIGHT CAPACITY</b> 40 lbs. 18.1 kg	<b>TV SIZE</b> 13" — 30"	0.5" 1.3 cm
	MOUNTING PATTERN VESA 75, VESA 100			

FINISH OPTIONS	Black (B)	Silver (S)

## VISIONMOUNT<sup>®</sup> RECESSED IN-WALL BOX

#### The LR1A recessed box allows a TV to be flush to the wall, so it hangs like a picture.

- 1. Cut a hole in the sheetrock between 16" on-center studs and set the LR1A inside.\*
- 2. The finger-adjustable Quick Shims<sup>™</sup> allow you to easily position and level the box and then secure it in place using provided hardware.
- 3. There are cutouts for signal and power cables on top and bottom, plus it's available in silver, black or paintable white to match any décor.
- 4. Once the LR1A is in place, choose a full-motion mount (model LRF118, VM400, or MF215) that fits your TV.
  - \* Safety note: Before cutting, ensure electrical wires or piping do not run within desired location





« LR1A In-Wall Box supports Sanus VisionMount® LRF118, VM400 or MF215 wall mounts



« Finger-adjustable Quick Shims<sup>™</sup> allow box to be leveled and secured tightly into place in no time



« In-Wall Box is available in a paintable white finish to match any décor



« VM400 features a hinged arm to support and extend flat-panel TVs up to 100 lbs. from 0" to 17" off wall



« LR1A features signal and power cable cutout holes to conceal and organize cables



« LRF118 is specially engineered for the LR1A and holds flat-panel TVs up to 130 lbs.

#### BEFORE

Mount tucks neatly into in-wall box, enabling the TV to lie flush against the wall



Nodel LR1A-B1 and LR118-B1 in use

MODELS LR1A-B1 LR1A-S1 LR1A-W1	<b>DESCRIPTION</b> Recessed In-wall Box Features Quick Shims <sup>™</sup>				CUL US
	<b>PRODUCT DIMENSIONS</b> 16.75" w x 3.5" d x 17.5" h 42.5 x 9 x 44.5 cm	WEIGHT CAPACITY LRF118 – up to 130 lbs. 59 kg VM400 – up to 100 lbs. 45.4 kg MF215 – up to 60 lbs. 27.2 kg	<b>TV SIZE</b> 30" - 50" 15" - 40" 15" - 37"	17.5" 44.5 cm	
	<b>Mounting Pattern</b> VM400 – VESA 100, VESA 200 MF215 – VESA 75, VESA 100, LRF118 – UNIVERSAL	0 x 100, VESA 200 x 200 VESA 200 x 100, VESA 200 x 200		16.75" 42.5 cm	3.5" 9 cm
MODELS LRF118-B1 LRF118-S1	<b>DESCRIPTION</b> Full-motion Wall Mount for lan Allows ±6° lateral roll to ensu	rge flat-panel TVs re TV is perfectly level after hangin	g		
	<b>PRODUCT DIMENSIONS</b> 29.5" w x 1.5"–17" d x 19.5" h 74.9 x 3.8–43.2 x 49.5 cm	WEIGHT CAPACITY 130 lbs. 59 kg	<b>TV SIZE</b> 30" – 56"	-15° +	5°
	Mounting Pattern UNIVERSAL	FEATURE Use with VMCC1s & LASIA (pg. to attach center channel and sid Arm can be padlocked for enhan	e speakers;	180°	1.5"–17" 3.8–43.2 cm
MODELS VM400b VM400s	<b>DESCRIPTION</b> Full-motion Wall Mount for me Allows ±6° lateral roll to ensu	edium LCD TVs re TV is perfectly level after hangin	g		CUL US
	<b>PRODUCT DIMENSIONS</b> 15" w x 0"–17" d x 12.75" h 38.1 x 8.9–50.8 x 32.4 cm	WEIGHT CAPACITY 100 lbs. 45.4 kg	<b>TV SIZE</b> 15" – 42"	-15°	+5°
	MOUNTING PATTERN VESA 100, VESA 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 300	FEATURE Arm can be padlocked for enhanced security	<b>S</b>	180°	0"-17" 0-43.2 cm
MODELS MF215b MF215s	<b>DESCRIPTION</b> Full-motion Wall Mount for me Allows 360° lateral roll to ens	edium LCD TVs ure TV is perfectly level after hangi	ng		
	<b>PRODUCT DIMENSIONS</b> 11.25" w x 0"–12" d x 11.75" h 28.6 x 0–30.5 x 29.8 cm	WEIGHT CAPACITY 60 lbs. 27.2 kg	<b>TV SIZE</b> 15" – 37" 36	-15°	+15°
	Mounting Pattern VESA 75, VESA 100, VESA 200 x 100, VESA 200 x 200			180°	0"-12" 0-30.5 cm
FINISH OPTIONS	Black (	B) Silver	- (S)	White (W) – LR	1A only

# FLAT-PANEL FRAMES



« Ultra-thick, high-quality frames fit most 42" and 50" flat panels



« Includes all hardware, so frame can be installed and secured onto TV quickly and easily



« Easy-to-install repeater kit allows TV to function properly if frame covers up remote pickup



« Designer frames available in classic black and toasted pecan

#### Museum-quality hardwood frames turn flat-panel TVs into works of art

Sanus Systems Decorative Frames integrate design with technology to blend seamlessly into any décor. The optional Aristos Optic Mirror Kit allows the picture to come through clearly, but magically transforms TV into a framed mirror when turned off!



Sanus Decorative Frames Choose from four different finishes to match your decor.




**Optic Mirror Kit** (optional) Aristos Optic Mirror Kit transforms TV into a mirror when not in use.



Flat-Panel TV Frames fit 42" and 50" TVs.



Sanus VisionMount® Low-profile mounts allow the frame to be virtually flush to the wall.



#### OPTIONAL ADD-ON PRODUCT

Aristos Optic Mirror Kit (see pages 77–78 for more details) combines with any flat-panel frame above. This special filter allows the picture to come through clearly, but turns your framed TV into a work of art when turned off. Available for 42" and 50" flat-panel TVs.



#### FINISH OPTIONS










### ARISTOS OPTIC MIRROR KITS

#### Transform your framed TV into a mirror

The Aristos Optic Mirror Kit is a special filter that enhances the appearance of your flat-panel television's picture, making colors appear more vivid and fine details seem crisper. And when the display is switched off, the optic filter turns your TV into a beautiful framed mirror.



Sanus Decorative Frames Choose from four different finishes to match your decor.




**Optic Mirror Kit** (optional) Aristos Mirror Filter Kit transforms TV into a mirror when not in use.



Flat-Panel TV Frames fit 42" and 50" TVs.



Sanus VisionMount® Low-profile mounts allow the frame to be virtually flush to the wall.







 $\ensuremath{\text{TV ON:}}$  Enhanced television picture shows through filter clearly

TV OFF: Aristos Optic Filter functions as a beautifully framed mirror



ł

### VISIONMOUNT® DESK MOUNTS

#### Full-Motion Desk Mounts are as versatile as they are strong

Our full-motion desk mounts are the perfect addition to any office space. These sleek mounts can be clamped to the back of desks up to 2.7" thick or mounted directly into the wire management hole without the use of tools. Mounts feature **adjustable height**, **independent head and arm tensions** and **integrated cable management channels**. Constructed of extruded aluminum and heavy-gauge steel, mounts are available in black, silver or graphite to complement any monitor.





« Offers unique ability to clamp onto back of desk or to mount directly into cable management hole



« Cable management channel neatly and safely routes cables



« SmoothLock™ technology provides smooth tilt and swivel motions without loosening



« Independent tensions in arm and head offer easy adjustment without disturbing viewing angle



« Virtual Axis 3D<sup>™</sup> technology allows the monitor to move in every direction possible with fluid motion, so it's easy to switch from portrait to landscape



« Adjustment knobs for "set and forget" tension without any tools





VISIONMOUNT®

8 0

Models MD115 & MD103 only

Models SD115 & SD103 only

## VISIONMOUNT<sup>®</sup> LARGE CEILING MOUNTS



« Provided LC1A ceiling plate easily attaches to wood joist or solid surface ceilings



« Built-in cable management system routes and conceals cables from ceiling to TV



« Solid heavy-gauge steel construction provides strength and rigidity beneath a sleek, black powder-coated finish




« LC1A is a great choice for corner placement or when wall mounting is not possible



« Choose from a variety of adapters\* for your specific ceiling needs (sold separately)

« LC1A and LC2A feature Virtual Axis<sup>™</sup> technology for easy tilt and swivel motion with the touch of a fingertip





### VISIONMOUNT® CEILING MOUNTS



« MC1A features Virtual Axis 3D<sup>™</sup> technology, allowing the TV to move in every direction possible with fluid motion



« Cable management channel keeps cables concealed and organized (MC1A, SC1A)



« Extruded aluminum and heavy-gauge steel construction provides extreme rigidity and sleek, modern styling



« MC1A mounting brackets use multiple VESA patterns to fit virtually every flat-panel TV from 23" to 40"



« SmoothLock<sup>™</sup> mechanism gives SC1A smooth tilt and swivel motions with just the touch of a finger



« Height-adjustment feature allows SC1A and MC1A to be positioned perfectly for optimal viewing

<b>DESCRIPTION</b> Tilt and Swivel Ceiling Mount for medium Features Virtual Axis <sup>™</sup> 3D	Tilt and Swivel Ceiling Mount for medium flat-panel TVs	
9.25" w x 5.25" d x 21" h 70 lbs.	23" - 40"	-15° +15°
MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100, VES	SA 200 x 200	30°
<b>DESCRIPTION</b> Tilt and Swivel Ceiling Mount for small fla	at-panel TVs	DORNER MOUNTING
PRODUCT DIMENSIONS         WEIGHT           5.25" w x 5.25" d x 15.25" h         50 lbs.           23.5 x 13.3 x 53.3 cm         22.7 kg	13" – 26"	-15° +15°
MOUNTING PATTERN VESA 75, VESA 100		
	Tilt and Swivel Ceiling Mount for medium Features Virtual Axis" 3D         PRODUCT DIMENSIONS 9.25" w x 5.25" d x 21" h 23.5 x 13.3 x 53.3 cm         WEIGH 70 lbs. 31.75 k         MOUNTING PATTERN VESA 75, VESA 100, VESA 200 x 100, VESA VESA 75, VESA 100, VESA 200 x 100, VESA Tilt and Swivel Ceiling Mount for small flat 5.25" w x 5.25" d x 15.25" h 23.5 x 13.3 x 53.3 cm         PRODUCT DIMENSIONS 5.25" w x 5.25" d x 15.25" h 23.5 x 13.3 x 53.3 cm         MOUNTING PATTERN MOUNTING PATTERN	Tilt and Swivel Ceiling Mount for medium flat-panel TVs         FRODUCT DIMENSIONS         9.25" w x 5.25" d x 21" h       70 lbs.         23.5 x 13.3 x 53.3 cm       31.75 kg         MOUNTING PATTERN         VESA 75, VESA 100, VESA 200 x 100, VESA 200 x 200         DESCRIPTION         Tilt and Swivel Ceiling Mount for small flat-panel TVs         PRODUCT DIMENSIONS         5.25" w x 5.25" d x 15.25" h         23.5 x 13.3 x 53.3 cm         WEIGHT CAPACITY         TV SIZE         TV SIZE         DESCRIPTION         TIL and Swivel Ceiling Mount for small flat-panel TVs         PRODUCT DIMENSIONS         5.25" w x 5.25" d x 15.25" h         23.5 x 13.3 x 53.3 cm         WEIGHT CAPACITY         50 lbs.         22.7 kg         MOUNTING PATTERN         MOUNTING PATTERN

FINISH OPTIONS	Black (B)	Silver (S)
----------------	-----------	------------



### VISIONMOUNT<sup>®</sup> UNDER-CABINET MOUNT



« Full-motion allows VMUC1 to swivel from left to right for viewing from multiple angles



« Conveniently tucks under a cabinet when not in use, making it perfect for areas with limited space




 VESA pattern holes are slotted to allow customized height adjustment



« Heavy-gauge steel construction provides strength and durability for 9" to 17" LCD TVs



DESCRIPTION Under-cabinet Mount for small LCD TV:	3		TERMES MELITIVE
<b>PRODUCT DIMENSIONS (w x d x h)</b> 5.5" x 9.5" x 1.75" 14 x 24.1 x 4.4 cm	<b>WEIGHT CAPACITY</b> 15 lbs. 6.8 kg	<b>TV SIZE</b> 9" — 17"	110° -90°
Mounting Pattern VESA 75, VESA 100			+10°



# VISIONMOUNT<sup>®</sup> PULL-OUT CABINET MOUNT



« Perfect for cabinet installations where TV needs to be pulled out and swiveled for best viewing

« Can be used with MT25, VMPL50 and VMPL250 for


low-profile or tilting functionality



« VMP01 features adjustable height to perfectly fit most flat-panel TVs from 15" to 50"



« SmoothGlide<sup>™</sup> ball bearings allow VMP01 to be pulled out with ease







### VISIONMOUNT<sup>®</sup> FLAT-PANEL TV ACCESSORIES



### « Cable tunnels can be used individually or vertically stacked to hide greater lengths of wire runs



« ProSet<sup>™</sup> post-installation height and roll adjustments position speaker snugly beneath TV for a seamless appearance



« Universal mounting brackets fit most flat-panel speakers



« Built-in wire management channels conceal and organize wires



« Attaches to Sanus mounts for an optimal listening experience with no drilling or additional mounting required



« Mount arms have pads that cushion, protect and stabilize the AV component




« Speaker mount moves with the TV for an optimal listening experience

+ -

« Mounting brackets extend up to 12" to accommodate a wide variety of speaker and TV widths






### VISIONMOUNT<sup>®</sup> FLAT-PANEL MOUNT ADAPTERS



#### DESCRIPTION VMF Adapter

**PRODUCT DIMENSIONS (w x d x h)** 9.75" x .25" x 6" 24.8 x .6 x 15.2 cm MOUNTING PATTERN VESA 100 VESA 200 x 100





MODELS M10Kit-B1 M10Kit-S1	DESCRIPTION Adapter for VMPL3; for TVs with M10 size bolts		
	PRODUCT DIMENSIONS (w x d x h) n/a		
MODEL MA1A-B1	DESCRIPTION VESA 400 Adapter for medium flat-panel TV mounts (VM400, VM300, VM200, MF110)		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 17.25" w x .1" d x 2.75" h 43.8 x .25 x 7 cm	MOUNTING PATTERN VESA 400 x 200	
MODEL MA3A-B1	DESCRIPTION Adapter for LA112; for TVs with hole patterns less than 21.5" wide		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> n/a	MOUNTING PATTERN VESA 200 x 200	
MODEL MA4A-B1	DESCRIPTION VESA adapter for medium flat-panel TV mounts; fits VM400, MF110, MF215, MF209, MF203 and MF202		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> n/a	MOUNTING PATTERN           VESA 300 x 200, VESA 300           x 300, VESA 400 x 300	
MODEL XA2A	DESCRIPTION         Adapter for LA112; for TVs with hole patterns 26"–34.5" wide         PRODUCT DIMENSIONS (w x d x h)         n/a		
MODEL SSMK1	DESCRIPTION         Steel Stud Mounting Kit for VMPL, VMPL2, VMPL3, VMPL50, VMPL250         PRODUCT DIMENSIONS (w x d x h)         n/a		
ILL SS			
MODELS VMXA1b VMXA1s	DESCRIPTION VMPL3 Adapter for 65" Panasonic TVs or where more bracket width is needed		
	<b>BRACKET DIMENSIONS (w x d x h)</b> 35" x .75" x 8.25" 89 x 1.9 x 21 cm	<b>PRODUCT WIDTH (when bracket used with VMPL3)</b> minimum width: <b>35</b> " 89 cm maximum width: <b>52.25</b> " 132.7 cm	
FINISH OPTION	NS Black (B	s) Silver (S)	

## VISIONMOUNT<sup>®</sup> SPEAKER MOUNTS



« Universal design of WMS3 easily configures for use in both wall and ceiling installations



« Decorative caps are included to cover all assembly and mounting hardware for a finished appearance



« Durable nylon construction of WMS3 supports up to 8 lbs. in a compact design



« WMS2 adjusts to fit various sizes of bookshelf speakers



« Includes two adapter brackets to fit most home theater speakers

« Unique knurled fitting on joints locks securely into place to prevent slippage

MODEL WMS2	DESCRIPTION Tilt and Swivel Speaker Wall Mount (sold in pairs); availa	DESCRIPTION Tilt and Swivel Speaker Wall Mount (sold in pairs); available in black finish only		
	<b>PRODUCT DIMENSIONS (w x d x h)</b> 5.25" x 5.25"–11" x 9.25" 13.3 x 13.3–28 x 23.5 cm	<b>WEIGHT CAPACITY</b> 15 lbs. 6.8 kg	130° ±15°	
MODELS WMS3s	DESCRIPTION One pair of Tilt and Swivel Speaker Mounts for wall or ce	DESCRIPTION One pair of Tilt and Swivel Speaker Mounts for wall or ceiling		
WMS3b WMS3w	PRODUCT DIMENSIONS (w x d x h)           2-bolt speaker mount:         1-bolt speaker mount:           1.25" x 4.25"-6" x 3.25"         1.25" x 4.25"-6" x 1.15"           3.2 x 10.8–15.2 x 8.3 cm         3.2 x 10.8–15.2 x 2.9 cm	WEIGHT CAPACITY 8 lbs. 3.6 kg	360° ±60°	
MODELS WMS5s	<b>DESCRIPTION</b> Five-pack Tilt and Swivel Speaker Mounts for wall or ceil	ing		
WMS5b WMS5w	PRODUCT DIMENSIONS (w x d x h) 2-bolt speaker mount: 1-bolt speaker mount:	WEIGHT CAPACITY	360°	

 PRODUCT DIMENSIONS (w x d x h)
 Weight CAPACITY

 2-bolt speaker mount:
 1-bolt speaker mount:
 1.bolt speaker mount:

 1.25" x 4.25"-6" x 3.25"
 1.25" x 4.25"-6" x 1.15"
 3.6 kg

 3.2 x 10.8-15.2 x 8.3 cm
 3.2 x 10.8-15.2 x 2.9 cm
 3.6 kg

FINISH OPTIONS Black (b)	Silver (s)	White (w)
--------------------------	------------	-----------



### VISIONMOUNT® PROJECTOR MOUNT



#### Universal mount can be configured to accommodate three or four mounting holes, making it compatible with nearly all projectors



« Quick-release mechanism allows dismounting for servicing of filters and bulbs without realigning and refocusing



« Available in black or silver — both include a white hardware-hiding bezel



« Built-in threaded pipe mount permits simplified through-ceiling VMPR1 mounting applications




« Settings for roll, yaw and pitch are completely

downpipe extension for multiple installation options



« Includes angled or vaulted ceiling adapter and 7"




#### FINISH OPTIONS

Black (b)





#### **VISIONMOUNT®** CRT TV MOUNTS





Black (b)

Silver (s)

to exceed 100 lbs.



Sanus Systems<sup>®</sup> designs and builds fine AV furniture, stands and mounts. Every Sanus product is engineered to enhance your AV system and the surrounding décor. Today Sanus offers more than 300 different models of wood, glass and metal home theater products; TV stands and wall mounts; audio racks; and speaker supports to match any AV system or environment. Sanus products are available at thousands of retail locations worldwide and can be seen at the company's website, www.sanus.com.

#### **PRODUCT WARRANTY**

All Sanus products are covered by a limited product warranty. Visit www.sanus.com for details.



info@sanus.com • PHONE 800.359.5520 • FAX 651.636.0367

©2009 Milestone AV Technologies, a Duchossois Group Company. Sanus Systems is a registered trademark of Milestone. All other brand names or marks are used for identification purposes and are trademarks of Milestone. All patents are protected under existing designations. Other patents pending